

IBIS



T: +31 (0)492 593 888

F: +31 (0)492 546 497

customerservice@sunrisemedical.nl

www.SunriseMedical.nl

Valid from	01/11/2024	Version	1.0
Unitl	01/11/2025		
Dealer		Date	
Reference No.			
Delivery address		Quantity	
		UNIT-ID 0181	

Basic configuration exclusive VAT € 1.989

- Sedeo Pro seat frame
- Fully adjustable seating system: seat width - seat depth - seat angle - seat height - backrest angle - centre of gravity
- Excellent, adjustable driving characteristics
- 'Easy to operate 30° tilt-in-space adjustment'
- Adjustable, low seat height, from 39 cm standard 49,5 cm
- Central legrest with gas spring adjustment and calf support
- Removable armrests with quick-lock, armrest pad 40 cm and side supports PU
- 7" solid front wheels
- 12,5" air rear wheels with coupled foot brakes
- Height adjustable push bar
- Integrated 4-point transport brackets
- Kick tubes and anti-tip brackets
- Available with PowerSupport 12,5" attendant control
- Also suitable as a chassis for a specific seating system or orthosis
- Base frame colour antracite grey metallic

The picture shown may deviate from the standard configuration








The standard configuration below is indicated with 'basic'. If an alternative option is required please mark clearly by ticking the associated box.

THE CODES WHICH ARE MENTIONED BEHIND THE OPTIONS, ARE NOT ARTICLE NUMBERS. ALWAYS USE THESE CODES IN COMBINATION WITH THE PRICE LIST-ID NUMBER MENTIONED ABOVE.

BASE FRAME

option ID


						SEDEO PRO SEAT FRAME	
1	2	3	4	5	6	Sedeo Pro seat frame	Y01117
						Sedeo Pro seat frame with seat shell backrest frame (frame only, no backrest cushion)	Y01651
						Height adjustable push bar (not i.c.w. third party or seat shell backrest frame)	Y01126
						Angle adjustable push bar, user weight < 120 kg (not i.c.w. third party or seat shell backrest frame)	Y01127
						Low seat post for SH 320 - 425 mm	Y00586
						High seat post for SH 365 - 470 mm	Y00587
						SEAT HEIGHT EXCL. STANDARD CUSHION (70 MM), USER WEIGHT EXCL.	
						320 mm (not i.c.w. SW 54 cm, SD 58 cm)	Y00575
						335 mm	Y00576
						350 mm	Y00577
						365 mm	Y00578
						380 mm	Y00579
						395 mm	Y00580
						410 mm	Y00581
						425 mm	Y00582
						440 mm	Y00583
						455 mm	Y00584
						470 mm	Y00183
						7" air front wheels	Y00114
						7" solid front wheels	Y00113
						7 Axle position front 1 (not i.c.w. 12,5" or 16" rear wheels)	Y00083
						7 Axle position middle 2	Y00084
						7 Axle position middle 3	Y00085
						7 Axle position rear 4	Y00086
						12,5" air rear wheels (not i.c.w. WheelDrive)	Y00134
						12,5" solid rear wheels (not i.c.w. WheelDrive)	Y00135
						16" air rear wheels (not i.c.w. coupled footbrake) (not i.c.w. PowerSupport or WheelDrive)	Y00138
						16" solid rear wheels (not i.c.w. coupled footbrake) (not i.c.w. PowerSupport or WheelDrive)	Y00139
						20" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00140
						20" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00141
						22" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00142
						22" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00143
						24" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00144
						24" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00145
						Quick release axles (not i.c.w. 12,5" or 16" rear wheels or WheelDrive)	Y00128
						8 Push brakes (only i.c.w. 12,5" or 16" rear wheels) (not i.c.w. PowerSupport)	Y00088
						9 Push brakes (only i.c.w. 20", 22" or 24" rear wheels) (not i.c.w. WheelDrive)	Y01257
						10 Coupled footbrake (drumbrakes) frame on 42 cm for SW 42, 46 or 50 cm (only i.c.w. 12,5" rear wheels)	Y00092
						10 Coupled footbrake for SW 54 cm (only i.c.w. 12,5" rear wheels (not needed i.c.w. 16" rear wheels))	Y00093
						11 Brake lengtheners (only i.c.w. push brakes) (not i.c.w. 12,5" or 16" rear wheels)	Y00087

P.O.A. = price on application, D.O.R. = Delivery time on request

Prices in euros excluding VAT. This price list will replace all previous price list versions. We reserve the right to change (price) modifications and incorrections.

POWER ASSIST


option ID



☐	1	PowerSupport 12,5''' (total width will be 9 cm more) attendant control and batteries	Y00117
☐	2	WheelDrive 24''' left and right wheels with Marathon plus puncture proof air tyres, a	Y01518

ADJUSTMENTS & LIGHTING


option ID








☐	1	Gas spring tilt adjustment till user weight 125 kg	Y01512
☐	1	Gas spring tilt adjustment for user weight 90 to 160 kg	Y01513
☐	2	Manually reclining backrest (not i.c.w. seat shell backrest frame)	Y01119
☐	4	Adjustable tilt in space operated by user (60 - 90 kg) max. tilt 18° (not i.c.w. seat sh	Y00400
☐	4	Adjustable tilt in space operated by user (90 - 125 kg) max. tilt 18° (not i.c.w. seat s	Y00401

SEAT CUSHIONS














option ID














☐		WIDTH (SW) X DEPTH (SD) COMFORT SEAT CUSHION	
☐		42 x 50 cm (SW 40 - 42 cm, SD 44 - 52 cm)	Y01139
☐		42 x 56 cm (SW 40 - 42 cm, SD 50 - 59 cm)	Y02644
☐		46 x 50 cm (SW 42 - 46 cm, SD 44 - 52 cm)	Y01142
☐		46 x 56 cm (SW 42 - 46 cm, SD 50 - 59 cm)	Y02645
☐		50 x 50 cm (SW 46 - 50 cm, SD 44 - 52 cm)	Y01145
☐		50 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm)	Y02646
☐		54 x 50 cm (SW 50 - 54 cm, SD 44 - 52 cm), if coupled footbrake, order coupled for	Y01148
☐		54 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm)	Y02647
☐		CHOOSE ALSO SEAT CUSHION COVER	
☐	1	Profiled seat, 70 mm thick	Y01152
☐	2	Memory foam seat, 70 mm thick (only i.c.w. SEDEO PRO incontinence cover)	Y01153
☐	3	Support seat, 100 mm thick	Y01154
☐	3	Support seat TR with memory foam, 90 mm thick	Y01155
☐	4	Form seat, 11 cm thick (only i.c.w. incontinence cover) (only i.c.w. SEDEO PRO inc	Y01531
☐	5	Stabilizer seat, 90 mm thick (choose 1 size bigger for the seat width)	Y01156
☐	6	Pan seat with front (50 mm) and depth adjustable rear lip (not i.c.w. comfort cover)	Y01159
☐	6	Pan seat with front (7,5 cm) and depth adjustable rear lip (not i.c.w. comfort cover)	Y01532
☐	7	Board seat with rear pan (not i.c.w. comfort cover)	Y01160
☐		Adaptive or other seat, choose desired deviations with adaptations	Y01162
☐		Omit seat cushion	Y01163
☐	8	Incontinence cover	Y01164
☐	9	Comfort cover	Y01165
☐	10	Abduction support (not i.c.w. central legrest)	Y01166

BACKRESTS			option ID
			WIDTH (BW) X HEIGHT (BH) COMFORT BACKREST CUSHION (not i.c.w. third party or seat shell backrest frame)
			42 x 44 cm (BW 40 - 42 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01527
			42 x 50 cm (BW 40 - 42 cm, BH 50 - 58 cm) Y01173
			42 x 56 cm (BW 40 - 42 cm, BH 56 - 64 cm) Y01174
			46 x 44 cm (BW 42 - 46 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01528
			46 x 50 cm (BW 42 - 46 cm, BH 50 - 58 cm) Y01176
			46 x 56 cm (BW 42 - 46 cm, BH 56 - 64 cm) Y01177
			50 x 44 cm (BW 46 - 50 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01529
			50 x 50 cm (BW 46 - 50 cm, BH 50 - 58 cm) Y01179
			50 x 56 cm (BW 46 - 50 cm, BH 56 - 64 cm) Y01180
			54 x 44 cm (BW 50 - 54 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable str Y01530
			54 x 50 cm (BW 50 - 54 cm, BH 50 - 58 cm) Y01182
			54 x 56 cm (BW 50 - 54 cm, BH 56 - 64 cm) Y01183
			CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party or seat shell backrest frame)
	☐	1	Profiled backrest Y01185
	☐	2	Deep Contour, passive Y01187
	☐	3	Flexible Deep Contour, Passive, Adjustable Straps (not i.c.w. thoracic supports) Y01190
	☐	4	Flexible, Deep Contour, Active, Adjustable Straps (not i.c.w. thoracic supports) Y01191
	☐	5	Flexible, Extra Deep Contour, Active, Adjustable straps (only i.c.w. Sedeo Pro seat Y01520
	☐		Adaptive or other back, choose desired deviations with adaptations Y01264
	☐		Omit backrest, only backrest mounting plates Y01192
	☐		Omit backrest, only angle adjustable backrest mounting plates Y01501
	☐		Omit backrest and omit backrest mounting plates Y01502
	☐	6	Incontinence cover (not i.c.w. third party or seat shell backrest frame) Y01193
	☐	7	Comfort cover (not i.c.w. third party or seat shell backrest frame) Y01194
	☐	8	Thoracic support (not i.c.w. third party or seat shell backrest frame), set Y01195
	☐	9	Flip down backrest (not i.c.w. seat shell backrest frame) Y01122
	☐	10	Flip down backrest, operated by user (not i.c.w. seat shell backrest frame) Y01123




LEGRESTS

		option ID
	1	LEGRESTS SET
	1	Sedeo Lite standard legrests with heel strap (not i.c.w. legrest accessories)
	1	Sedeo Lite manually elevating legrests with calf support (not i.c.w. legrest accessories)
	2	Standard legrests with calf straps
	3	Manually elevating legrests, choose also calf plate
	4	Standard heavy duty legrests with heel straps
	5	Comfort heavy duty legrests with calf supports
		Mounting bracket only, no legrests
		LEGREST ACCESSORIES (not i.c.w. heavy duty legrests)
		Widened footplate for SW 50 cm
		Widened footplate for SW 54 cm
	7	Heel straps
	8	Depth adjustable calf support, PU, set
	9	Depth adjustable calf support, upholstered, set
	10	Knee pads (not i.c.w. padded side support, wedge-shape)
	11	Amputation support, right
	11	Amputation support, left
		CENTRAL LEGRESTS (not i.c.w. legrest set or legrest accessories)
	12	Central legrest (i.c.w. electrical adjustment choose calfrest)
	13	Manually elevating central legrest with length compensation, SH = or > 35 cm
		Omit central legrest
		CENTRAL LEGREST ACCESSORIES
	14	Central calf support
	15	Central calf support with side support
		Omit central calf support
		
		




ARMRESTS


		option ID
	1	Removable armrests
	2	Removable armrests with quick-lock
	3	Flip-up armrests (only i.c.w. 12,5" or 16" rear wheels)
	4	Widened armrests (only i.c.w. 12,5" or 16" rear wheels and removable armrests w
	5	Raised armrests +10 cm (only i.c.w. removable armrests with quick-lock)
	6	Angle adjustment with quick-lock (not i.c.w. removable armrests) (i.c.w. worktop, ar
	7	Armrest pad 30 cm, right (i.c.w. 20", 22" or 24" rear wheels limited tilt in space ar
	7	Armrest pad 30 cm, left (i.c.w. 20", 22" or 24" rear wheels limited tilt in space ang
	8	Armrest pad 40 cm, right (i.c.w. 20", 22" or 24" rear wheels limited tilt in space ar
	8	Armrest pad 40 cm, left (i.c.w. 20", 22" or 24" rear wheels limited tilt in space ang
	9	Armrest pad narrow, 40 cm, right
	9	Armrest pad narrow, 40 cm, left
	10	Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW 54 cm) (n
	10	Armrest pad wide, 45 cm (i.c.w. flip-up armrest SW +2 cm, not i.c.w. SW 54 cm) (n
	11	Hemiplegia armrest (not i.c.w. removable armrests or same entry side worktop & i.c
	11	Hemiplegia armrest (not i.c.w. removable armrests or same entry side worktop & i.c
		Omit armrest pad, right
		Omit armrest pad, left




SIDE CUSHIONS

		option ID
	1	Side supports synthetic
	2	Side supports PU (SW -2 cm)
	3	Padded side supports, wedge-shape (SW -8 cm) (not i.c.w. flip up armrest)
		Omit side supports
	4	Thigh supports (not i.c.w. padded side support, wedge-shape)

HEADRESTS

			option ID
			
			1 Headrest PU, small, choose also headrest socket Y01235
			2 Headrest flexible, choose also headrest socket Y01236
			3 Headrest large, choose also headrest socket Y01237
			4 Headrest socket on backrest frame (not i.c.w. third party backrest frame) Y01239
			5 Headrest socket on backrest frame (only i.c.w. third party backrest) Y00333
			6 Width adjustable headrest bracket (only i.c.w. headrest) (not i.c.w. headrest bracket) Y01240
			7 Headrest bracket with quick-lock (only i.c.w. headrest) (not i.c.w. width adjustable h Y01241
			8 Padded headrest cover for headrest PU small Y01242



			option ID
			
			1 I.C.W. 20", 22" OR 24" REAR WHEELS; WORKTOP LIMITS TILT IN SPACE A Y01249
			2 Fixed worktop acrylic with two insert tubes, abdominal recess 11 cm Y01251
			2 Folding worktop acrylic, abdominal recess 11 cm, entry tube right Y01250
			3 Folding worktop half, acrylic, entry tube right Y01268
			3 Folding worktop half, acrylic, entry tube left Y01267
			WORKTOP TOGETHER WITH
			4 Partial padding (not i.c.w. elbow pads) Y01252
			5 Raised edges acrylic Y01253
			6 Elbow pads (not i.c.w. partial padding), set Y01254


ACCESSORIES

			option ID
			
			1 Lap strap Y01255
			1 Lap strap longer Y01256
			3 Cane/crutch holder for 2 walking canes Y00012
			4 Spoke protectors, set Y00034
			5 Anti-tip bracket, flip-up, set (not i.c.w. WheelDrive) Y00005
			Anti static cable Y01544
			Bierman transport lock (not i.c.w. WheelDrive) Y00010
			6 Armrest bag (not i.c.w. fixed worktop acrylic with two insert tubes or 20, 22 or 24" r Y01423

BATTERIES & CHARGERS

			option ID
			Charger 24V - 3,4A for PowerSupport Y01108

ADAPTATIONS

			option ID
			
			1 BASE FRAME
			1 Elevation set for castors, elevation 2,5 cm (not i.c.w. 12,5" or 20" wheels) Y02000
			2 Seat post extended for 54 cm seat height (specify dimensions) Y02004
			Base frame width reduction by 4 cm for PowerSupport Y02102
			3 Parking brake for attendant use 12,5" (not i.c.w. coupled footbrake) Y02047
			3 Parking brake for attendant use for PowerSupport (not i.c.w. coupled footbrake) Y02048
			Parking brake for attendant use i.c.w. standard push brake, 20" drum brake wheel: Y02046
			Parking brake for attendant use i.c.w. standard push brake, 22" drum brake wheel: Y02226
			Parking brake for attendant use i.c.w. standard push brake, 24" drum brake wheel: Y02227
			ADJUSTMENTS & LIGHTING
			4 Tilt, negative, 5°, stroke remains the same Y02039
			Electrical backrest adjustment, batteries included, choose also charger 24V - 1A (n Y00386
			Electrical backrest adjustment i.c.w. PowerSupport (not i.c.w. seat shell backrest fr Y00504
			Electrical tilt adjustment, batteries included, choose also charger 24V - 1A (not i.c.w Y00399
			Electrical tilt i.c.w. PowerSupport (not i.c.w. seat shell backrest frame) Y00505
			BATTERY & CHARGERS
			Charger 24V - 1A for electrical adjustments (not i.c.w. seat shell backrest frame or Y01110

REMARKS

Sunrise Medical HCM can tailor solutions to meet your requirements. Please contact your Sunrise Medical HCM contact person for all additional wishes that are not described above.