



Edition: 11.24 Valid until: 11.25





O F	7	N	M E	DΙ	СА			١	/alid	unti	l: 11.25		ŲU	ILKI			
Deliver to:											_	_ D	eliver to:				_
Name:												N	ame:				
Street:											((s	treet:				
Town:				Pos	tal c	ode:	:				,	_ T	own:			Postal code:	
E-Mail:													-Mail:				
Tel:				Fax	:								el:			Fax:	
Order date:												N/	arked for:				_
Purchase or	dor:											10	aikeu ioi.				
Number req		1.										٥	unrise ord	er no:			
□ Ord		ı. □ Calculat	tion		П	Buil	+ 1 n	20				<u> </u>				□ = Cost option	_
	eı	□ Calculat	lion		ш	Duli	(41)	ie					= Stand		n	○ = No cost option	
																nber: +497253 980-222	
												IV	lax. user	weignt	: 1	25kg // 140 kg (2)	
												U	SER WE	GHT	L	kg	
Art. no	.: 65	100001										Ma	andatory inforn	nation to en	sure correct c	onfiguration	
														Ba	se Pric	e	_
				CI	LIEN	NT N	ΙEΑ	SUF	REM	EN.	TS (all n	neasu	rements v	without o	cushion)		
SEA	AT W	IDTH SELE	CTIC	- NC	mea	sure	d froi	n ou	tside	fram	ne tube to	outside	e frame tub	e (mm)			
	30			40		60		30		00	420	440	460	480	500		
	(0	(0	()	()	()	0	0	0	0	0		
SEA	AT D	EPTH SELE	СТІС	ON -	in m	nm											
	32	20 340	3(60	38	80	4(00	42	20	440	460	480	500	520		
	(0	(0	(C	()	()	0	0	0	0	0		
FR(тис	SEAT HEIG	нт 9	SELF	-сті	ON.	in d	enei	ndar) A)	of front c	aetor e	izo.				
	 .	OLAI IILIO						•	iaai	100)	uotor c	120				
	ı	Fork type		nt Se					510	520							
		111 mm	0	0	0	700	430	500	310	320							
	3"	123 mm (1)	Ť		0	0	0										
or		111mm	0	0	0	0	0										
Front Castor	4"	123 mm (1)			0	0	0	0									
Õ		Frog leg (1)					0	0	0								
ont		111mm				0	0	0									
Frc	5"	123 mm (1)				0	0	0	0								
		Frog leg (1)							0	0							
	6"	123 mm (1)						0	0	0							
		.20 (1)						$\overline{}$	$\overline{}$		I						
_										_							_
		HEIGHT SE					-										
The The	rear	seat height ca	an on	lly be	betv	veen	0 mi	m an	d 130) mn	n below th	e seled	ted front se	eat height			

Cau Caution: with rear seat heights 460 mm and above, the width between the sideguards increases by 30 mm

Rear seat height in mm

Rear Wheels	340	350	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520
22"	0	0	0	0	0	0	0	0	0	0	0	0	0						
24"			0	0	0	0	0	0	0	0	0	0	0	0	0	0			
25"				0	0	0	0	0	0	0	0	0	0	0	0	0	0		
26"						0	0	0	0	0	0	0	0	0	0	0	0	0	0

Please follow this measuring method:


The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.



Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground .

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.


Note: The user's adility to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the ground. Negative angles are ${<}90^{\circ}$

and positive angles are >90°.



Technical Data Overview:

Overall dimensions: Overall width with: 24" rear wheel 25" rear wheel Max overall height: 900 mm For 0° camber: SW + 200 mm SW + 200 mm For 3° camber: SW + 260 mm Max overall length: 910 mm SW + 220 mm SW + 320 mm For 6° camber: SW + 280 mm For 9° camber: SW + 340 mm SW + 380 mm

Please note that the matrix is based on a std configuration:

Std chair 400 x 400 mm; 3° camber; 56 mm CoG; Seat angle of 8°

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 10 mm

	• = S1	·	ost option			Price in
		SEAT UPHOLSTERYS AND CUSHI	IONS			
Seat Slings	s:					•
AGN020002	•	Seat sling with 1 utility bag				
AGN020003		Seat sling with 2 utility bag			(only from SW 340 mm,)
AGN020004		Seat sling with utility bag and catheter bag			(only from SW 340 mm,)
AGN020000	0	Without seat sling				
Seat cushi	on bla	ick cover:				
Foam compo	osite: (medium soft) Thickness: AGN0201	01 □ 30 mm	AGN02010	02 □ 50 mm	
JAY Cushi	ons -	or complete product range see Jay order	forms:			
JAY020002		Jay Basic				
JAY020003		Jay Soft Combi P				
JAY020001		Jay Easy Visco				
JAY020007		JAY Easy Fluid				
JAY020004		JAY Lite				
Seat acces	sorie	5				
AGN090018		Positioning belt				
		BACKREST				
		27.07.11.201				
		Back heigth range	250 - 300	300 - 400	400 - 450	
		Choose back height factory setting (mm).		300 0 375		
		Height adjustments possible in the		325 0 400		
		range 250-300 mm; 300-400 mm; 400-		350	O 450	
		450 mm.	0 300 0	330	O 430	
AGN030015	•	Angle adj. Back (fold down)		(-31° to +15°)	(only in black anodizing)
AGN030102	_	□ Double locking		(3 ,	()	
AGN030012	0	Angle adj. Back (fixed)		(-31° to +15°)	(only in black anodizing)
						1
Duchhand	امد. ۱	poose only one ontion				
		noose only one option Omit push handles				
AGN030200	0	Omit push handles				
AGN030200 AGN030201	0	Omit push handles Integral push handles long		(only	available from back height 325 mm)
AGN030200 AGN030201 AGN030203	0	Omit push handles Integral push handles long Fold-down push handles			available from back height 325 mm, available from back height 325 mm,	
AGN030200 AGN030201 AGN030203 AGN030204	0	Omit push handles Integral push handles long		(only)
AGN030200 AGN030201 AGN030203 AGN030204	0 0	Omit push handles Integral push handles long Fold-down push handles Height adj push handles		(only	available from back height 325 mm)
AGN030200 AGN030201 AGN030203 AGN030204 AGN030205	0	Omit push handles Integral push handles long Fold-down push handles Height adj push handles Height adj push handles for Jay backs		(only	available from back height 325 mm)
AGN030200 AGN030201 AGN030203 AGN030204 AGN030205 Backrest u	O O O O	Omit push handles Integral push handles long Fold-down push handles Height adj push handles Height adj push handles for Jay backs tery adjustable	accessory has bloo	(only	available from back height 325 mm, available from back height 325 mm,)
AGN030200 AGN030201 AGN030203 AGN030204 AGN030205	O O O O	Omit push handles Integral push handles long Fold-down push handles Height adj push handles Height adj push handles for Jay backs tery adjustable EXO Backrest sling, padded, adjustable, 1 a		(only (only	available from back height 325 mm, available from back height 325 mm,)
AGN030200 AGN030201 AGN030203 AGN030204 AGN030205 Backrest u AGN030316	O O O O D D	Omit push handles Integral push handles long Fold-down push handles Height adj push handles Height adj push handles for Jay backs tery adjustable EXO Backrest sling, padded, adjustable, 1 a Colour, binding tape: Black O	Orange O Silve	(only (only k (EXO Evo version er O Red O	available from back height 325 mm, available from back height 325 mm, on))
AGN030200 AGN030201 AGN030203 AGN030204 AGN030205 Backrest u	O O O O D D	Omit push handles Integral push handles long Fold-down push handles Height adj push handles Height adj push handles for Jay backs tery adjustable EXO Backrest sling, padded, adjustable, 1 a Colour, binding tape: EXO PRO Backrest, padded, adj., breathab	Orange O Silve le spacer fabric, 1 a	(only (only k (EXO Evo version O Red Occessory bag, bla	available from back height 325 mm, available from back height 325 mm, on) Blue ick (EXO Evo version))
AGN030200 AGN030201 AGN030203 AGN030204 AGN030205 Backrest u	o o o o o phols	Omit push handles Integral push handles long Fold-down push handles Height adj push handles Height adj push handles for Jay backs tery adjustable EXO Backrest sling, padded, adjustable, 1 a Colour, binding tape: EXO PRO Backrest, padded, adj., breathab	Orange O Silve	(only (only k (EXO Evo version O Red Occessory bag, bla	available from back height 325 mm, available from back height 325 mm, on) Blue ick (EXO Evo version))



AGN020002 Seat sling with 1 utility bag




AGN090018 Positioning Belt







JAY020001 Jay Easy Visco (picture shown without upholstery)



JAY020003 Jay Soft Combi P (picture shown without upholstery)



JAY020004 Jay Lite (picture shown without upholstery)



AGN030201 Integral push handles long



AGN030316 EXO backrest sling (new EXO Evo version)



AGN030203 Fold down push handles



AGN030205 Height adjustable push handles for Jay



AGN030317 EXO PRO backrest sling (new EXO Evo version)

Ouiokio	Argon	2	
Quickie	_		
<u> </u>	= Standa	,	Price in €
		JAY BACKS plus ACCESSORIES - for complete product range see Jay order forms	
Jay 3 Back	k - Shalle	ow Contour (SC)	
Mid Thorac	cic:	□ JAY030010 Medium 340 mm □ JAY030033 Tall 380 mm	
Upper Tho	racic:	□ JAY030012 Short 420 mm □ JAY030019 Medium 460 mm □ JAY030025 Tall 500 mm	
Shoulder H	leight:	□ JAY030015 Short 530 mm □ JAY030022 Medium 570 mm □ JAY030028 Tall 610 mm	
Jay 3 Back	k - Mid C	Contour (MC)	
Mid Thorac	cic:	□ JAY030011 Medium 340 mm □ JAY030018 Tall 380 mm	
Upper Tho	racic:	□ JAY030013 Short 420 mm □ JAY030020 Medium 460 mm □ JAY030026 Tall 500 mm	
Shoulder H	leight:	□ JAY030016 Short 530 mm □ JAY030023 Medium 570 mm □ JAY030029 Tall 610 mm	
JAY J3 Ba	ck - Mid	Deep Contour (MDC) (150 mm Contour Depth)	
Mid Thorac	cic:	□ JAY030044 Medium - 340 mm □ JAY030041 Tall - 380 mm	
Upper Tho		□ JAY030045 Short - 420 mm □ JAY030042 Medium - 460 mm □ JAY030046 Tall - 500 mm	
Shoulder H	leight:	□ JAY030043 Short - 530 mm □ JAY030047 Medium - 570 mm □ JAY030048 Tall - 610 mm	
Jay 3 Back	k Acces	sories	
WHT030415	. 710000	☐ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY J3 backs)	
WHT030416		□ Whitmyer Headrest, AXYS, Standard (only with JAY J3 backs)	
JAY090058		□ JAY Accessory bag (only with Jay 3 Carbon backs)	
			·
		SIDEGUARDS & ARMRESTS	
AGN040102		Aluminium sideguard without fender	
AGN040101		Carbon Slim style sideguard (1)	
AGN040103		Aluminium sideguard with fender (min seat height 390 mm)	
AGN040104 AGN040107		Carbon sideguards with fender (min seat height 390 mm, not in combination with handbike axle) Composite sidegaurd detachable	
AGN040107 AGN040108		Padded tubular armrest (not in combination with handbike axle)	
71011040100		Single post armrest with:	
	AGN0400	· ·	
AGN040052		Tool height adj. armrest (short & long armpad - length adj.)	
AGN040000	0	w/o Sideguard	
		LEGREST & FOOTPLATES	
AGN050029	•	Tubular footrest lightweight (lower leg length 360 mm - 500 mm)	
AGN050030		Tubular footrest lightweight with flat cover (lower leg length 360 mm - 500 mm)	
AGN050025		Platform footrest LW composite plate (lower leg length 360 mm - 500 mm)	
AGN050024 AGN050026		Platform footrest LW alu plate (lower leg length 360 mm - 500 mm) Platform footrest LW carbon plate (lower leg length 360 mm - 500 mm)	
AGN050026 AGN050034		Platform footrest LW carbon plate (lower leg length 360 mm - 500 mm) Platform footrest LW high mount (LLL 220 - 390 mm)	
AGN050125		Performance footrest alu angle adj. (lower leg length 360 mm - 500 mm)	
AGN050127		Foot positioning plate (only with platform footplates lightweight & performance footplate)	
AGN050020		Composite footplate divided (2) (SW 380-500 mm; LLL 380 - 500 mm)	
AGN050022		Alu footplate divided (2) (SW 340 - 5000 mm; LLL 380 mm - 500 mm)	
		Lower leg length (LLL) Attention: LLL has to be 30 mm less than seat height front; all measurements are	in mm
	0	220 0 230 0 240 0 250 0 260 0 270 0 280 0 290	
	0	300 O 310 O 320 O 330 O 340 O 350 O 360 O 370	
	0	380	
	0	460 O 470 O 480 O 490 O 500 - 350 mm only with high mounted foodrest; for all other foodrests from LLL 360 - 500 mm.	
	LLL 220		
		FRAME VERSIONS (first choose frame angle then frame inset)	
AGN010601	•	User Weight max.125kg	
AGN010602		User Weight max.140kg	
AGN010013		Fixed frame 92 Degree	
AGN010012 AGN010100	•	Fixed frame 100 Degree Frame inset: 0mm	
AGN010103		Frame inset: 30mm	
AGN090015		Preparation for add on devices (4) (max. 120 kg; only 0° camber)	
AGN010500		Handbike axle (3) (max 100 kg; not in combination with amputee axle and padded tubular armrest)	
AGN070500		Amputee axle (not in combination with handbike axle and padded tubular armrest)	
		·	<u>. </u>
(4)	1A/645- 0.45	(was unback min was a sad bairds 440 mm unith 25" was unback min man a sad bairds 400 mm	F
(1) (2)		" rear wheel min. rear seat height 410 mm; with 25" rear wheel min. rear seat height 430 mm mm inset divided footplates are available from SW 420 composite and SW 380 alu footplate	For more information visit our webpage
(3)		n tip assist	www.SunriseMedical.eu
(4)		ary for e-fix or P105 attachment	© Sunrise Medical 2025





AGN040102 Aluminum sideguard w/o fender



AGN040101 Slim style sideguard



AGN040103 Aluminum sideguard with fender



AGN040104 Carbon sideguard with



AGN040107 Composite sideguard detechable



AGN040108 Padded tubular armrest



AGN040051 Single post armrest with long armpad



AGN040052 Tool height adj. armrest



AGN050029 Tubular footrest lightweight



AGN050030 Tubular footrest lightweight with flat cover



AGN050025 Platform footrest LW composite plate



AGN050026 Platform footrest LW carbon plate



AGN050125 Performance footrest alu angle adj



AGN050127 Foot positioning plate




AGN050020 Composite footplate divided




AGN050022 Alu footplate divided

Frame inset table (Graphs below are showing an example for SW 340)

			Seat Width (mm)										
Inset		300	320	340	360	380	400	420	440	460	480	500	
0 mm	Frame Width Inside	240	260	280	300	320	340	360	380	400	420	440	
U mm	Frame Width Casterhouse	410	430	450	470	490	510	530	550	570	590	610	
30 mm	Frame Width Inside	NA	NA	220	240	260	280	300	320	340	360	380	
30 111111	Frame Width Casterhouse	NA	NA	400	420	440	460	480	500	520	540	560	





Quickie	Ar	gon ²		
•	= S	tandard O = No cost option □	= Cost option	Price in €
		CENTRE OF GRAVITY (COG) (all measur	rements are in mm; measured from front of back post; choose only one	option)
COG32	0	32 mm	7441	
COG44	0	44 mm	To be	
COG56	0	56 mm	No. 1 Age	
COG68	0	68 mm	Allin	
COG80	0	80 mm		
COG92	0	92 mm	COG	
COG104	0	104 mm		
		FRAME ACCESCORIES		
		FRAME ACCESSORIES Tip assist (step tube)	(choose either tip assist or anti- tip tubes, not both)	Т
GN090001		Left AGN090002 Right		
GN090003		Pair		
GN090009	_	Crutch holder	(only in combination with tip assist)	
011000000	_	Anti-tip tubes swing-away	(only in combination with up assist)	
GN090004		Left AGN090005 □ Right		
GN090006		Pair		
	_	Anti-tip tubes pluggable		
GN090007		Anti-tip tubes pluggable	(Pair)	
	_	Anti tip flip up (user operated)	(r diii)	
GN090033		Left AGN090008 Right		
GN090035		Sport anti-tip		
GN090035 GN090010		Transit wheels	(3")	
GN090016		Frame protection	(3)	
. 5 5555710		Tramo protocion		
		Preparation for ATTITUDE add-on bike	9	
GN090211		Preparation for ATTITUDE, w/o ATTITUDE order		
GN090212	0	Preparation for ATTITUDE, with ATTITUDE order		
		EMPULSE F55 BUNDLING*soon	() () () () () () () () () ()	
	_		(Please use separate OF to order the F55. Not with susp	pension, not with Lightweight Compa
MO000101	0	With F55 order, not mounted to the wheelchair	brake)	
MO000102	\cap	With F55 order, mounted to the wheelchair	(Please use separate OF to order the F55. Not with susp	oension, not with Lightweight Compa
1010000102	O	With F33 order, modified to the wheelchair	brake)	
		EMPULSE F35 BUNDLING		
MO000301	0	With F35 order, not mounted to the wheelchair	(Please use separate OF to order the F35.)	
	_			
MO000302	0	With F35 order, not mounted to the wheelchair	(Please use separate OF to order the F35.)	
		FORKS	(compare with your choice on the first page)	
GN080013	•	Carbotecture fork (111mm forks only)	(colours: see Stylepackage on last page)	
GN080029	•	Aluminium fork (123 mm forks only) (3)	(colours: see Stylepackage on last page)	
GN080007			ation with 3", 6" & all ALU castors; only black, max user weight 125 kg)	
		STANDARD CASTOR	(compare with your choice on the first page)	
GN080301	0	Solid		
GN080301	0	Soft	(only for 5" & 6")	
GN080302		Solid light up	(not available for 6")	
GN080304		Solid light up Solid with aluminium rim	(not available for 6) (only for 4" and 5")	
			(only for 4" and 5") (only for 4" and 5")	
GN080306	П	Soft with aluminium rim	(only for 4° and 5)	
		REAR WHEELS (co	mpare with your choice on the first page; choose only one wheel type)	
		NOTE: for users with higher user weight than 100 kg, we		
GN070001	0	Universal Cross spoked	recommena cross spokea wheels (22", 24", 26")	
GN070001 GN070002	0	Design wheel	(22 , 24 , 26)	
		•		
GN070003		Light weight wheel	(22", 24", 25"; max user weight: 125 kg)	
GN070004		Proton Wheels Spingray wheels 18 spekes (1)	(22", 24", 25"; max user weight: 100 kg)	
GN070005 GN070007		Spinergy wheels 18 spokes (1)	(24", 25", 26"; black spokes; other colours available via B4M)	
		Spinergy wheels 12 spokes Mountainbike Poor wheel	(24", 25"; black spokes, black hub)	
GN070009		Mountainbike Rear wheel	(only with 24", mountain bike tyres & aluminium rim, black coated)	
GN070010 GN070000	0	Additional Mountain Bike wheels Without wheels	(only with 24"; comes always with mountainbike tyres)	
	Ĭ			
		TYRES	(choose only one tyre type)	
GN070101	0	Right Run	(not in 25")	
GN070107		Schwalbe One	(only 24" and 25")	
GN070102	0	Solid tyres (2)	(not with 26")	
GN070104		Marathon plus evolution (puncture proof)	(not in 22")	
				-
GN090163		Spares-kit: 1 extra tyre (same as on the chair) an	nd 1 extra inner tube (not with solid tyres)	
				
1):			solid tyre; Spinergy wheels only with 24" solid tyre	For more information
21.		t with Mountainbike wheel		visit our webpage www.SunriseMedical.eu
2): 3):		x front frame width 46 mm, max 100kg user weight npatible with power add on devices	© Sur	nrise Medical 2025 Page 4/6
,,	201		9 041	



AGN090001 Tip assist left



AGN090004 Anti-tip tubes SA



AGN090007 Anti tip tubes pluggable



AGN090035 Sport anti-tip



AGN090008 Anti tip flip up User operated



AGN090010 Transit wheels



AGN090016 Frame protection

	Seat Depth												
COG	380	400	420	440	460	480	500						
32	√	√	✓	✓	✓	✓	✓						
44	✓	✓	✓	✓	✓	✓	✓						
56	✓	✓	✓	✓	✓	✓	✓						
68	✓	✓	✓	✓	✓	✓	✓						
80	✓	✓	~	✓	✓	✓	✓						
92	✓	✓	✓	✓	✓ ·	✓	✓						
104	✓	✓	V	✓	/	V	V						

EMPULSE F35 & F55 BUNDLING - NOGO MATRIX FOR 24" REAR WHEELS

	Seat Depth													
COG	380	400	420	440	460	480	500							
32	✓	√	✓	✓	✓	✓	✓							
44	✓	√	✓	✓	✓	✓	✓							
56	✓	√	✓	✓	✓	✓	✓							
68	✓	✓	✓	1	✓	✓	✓							
80	✓	✓	✓	1	✓	✓	✓							
92	×	✓ ·	✓	✓	✓	✓	✓							
104	×	✓	✓	✓	✓	✓	✓							

EMPULSE F35 & F55 BUNDLING - NOGO MATRIX FOR 25" REAR WHEELS



AGN080013 Carbotecture fork



AGN080007 FROG LEG fork



AGN070001 Universal Cross spoked



AGN070002 Design Wheel



AGN070003 Light weight wheel



AGN070004 Proton Wheel



AGN070004 Spinergy Wheel











AGN070102 Solid Tyres



AGN070104 Marathon Plus (puncture proof)



AGN070009 Mountain bike rear wheel

© Sunrise Medical 2024

Quickie .	Argo	on ²		
	= Sta		on Price in €	
		HANDRIM		
AGN070201	0	Aluminium silver powder coated	(not with 26" Spinergy wheels)	
AGN070202	0	Aluminium silver anodized		
AGN070203		Aluminium colour powder coated		
AGN070204	0	Stainless steel		
AGN070205		Titanium	(not with22" wheels)	
AGN070206		Titanium clear powdercoated	(not with22" wheels)	
AGN070207		Supergrip		
AGN070208		Max Grepp	(only 22", 24"wheels)	
AGN070212		Handrims, Ellipse 3R, black	(ergonomic handrims with rubber-strip; only 24" and 25")	
AGN070250		Handrim cover	(only 22" & 24"wheels)	
Handrim mo	ountin	g AGN070317 ● Close = 17mm	(12,5 mm with lightweight & Proton wheels)	
		AGN070327 O Wide = 27mm	(not with lightweight & spinergy wheel and alu handrim)	
		AGN070307 □ Extra close = 7mm	(only with stainless steel)	
		WHEEL CAMBER	(choose only one option)	
4.041070000			(dibose only one option)	
AGN070600		0°		
AGN070603	0	3°		
AGN070606	0	6°	(not with handhile outs)	
AGN070609	0	9°	(not with handbike axle)	
		SPOKE GUARDS (only available in 22" & 24")		
AGN070831		Transparent		
		AGN070813 □ Galactica		
AGN070823		Princess	AGN070818 □ Jungle Fever	
AGN070816		Happy Lions		
AGN070819		Monkeys AGN070821 □ Pirates	AGN070811 □ Feather	
AGN070820		Oriental		
AGN070829		Superhero AGN070814 ☐ Graffiti	AGN070806 □ Chrome wheel	
AGN070817		Hot wheels AGN070802 □ Basketball	AGN070803 □ Basketball 2	
AGN070822		Pool AGN070812 ☐ Flying water	AGN070828 □ Space	
AGN070827		Silk		
AGN070830		Tiger AGN070833 □ Zebra		
		WHEEL LOCKS (Change only one ontion)		
ACNOCOCC4	_	WHEEL LOCKS (Choose only one option)		
AGN060001		Standard wheel lock		
AGN060002		Knee lever wheel lock	(anhith 00/00 c t il	
AGN060003		Compact wheel lock EVO	(only with 0°/3° camber)	
AGN060010		Wheel lock extension knee lever brake lock One arm wheel lock left	(only on knee lever wheel lock) (only with 0°/3° camber)	
AGN060006			(only with 0°/3° camber)	
AGN060007		One arm wheel lock right	(only with 0 /3 carriber)	
		ACCESSORIES		
AGN090000	•	Tool kit		
AGN090024		High pressure pump		
AGN090025		Air pump		
AGN090030		Back pack		
AGN090100		Crash Test Option (2)		
AGN090026		Mobile phone pocket		
(1) Not as:=!!	labla =	counting wide with Lightweight & Broton wheels	1	

(1) Not available mounting wide with Lightweight & Proton wheels

(2) Max. user weight 136kg

For more information visit our webpage

© Sunrise Medical 2025 Page 5/6



AGN070208 Max Grepp



AGN070207 Supergrip



AGN070212 Ellipse 3R



AGN060001 Standard Wheel lock



AGN060003 Compact wheel lock



AGN060002 Knee lever wheel lock



AGN060007 One arm wheel lock right



AGN090000 Tool kit



AGN090024 High pressure pump



AGN090025 Air pump



AGN090030 Back pack



AGN090026 Mobile phone pocket

Quickie Argo	on ²									
● = Sta		0 =	No cost option	n	□ = Cost o	pption				
	COLOURS	F	lease consu	It our colour o	catalogue, to	review your colour ch	oice at tl	he end of	the order form	
		Frame	Handrim	Hub/rim			Frame	Handrim	Hub/rim	
00 B ## 2 #		_	_			07.0	_	_		
02 Brilliant Silver		0				27 Graphitemetallic	0			
03 Silver Matt 06 Sun Yellow		0				29 Black 31 Matt Black	0			
14 Blue		0				32 Signal White	0			
15 Brilliant Marine		0				33 Pink	0			
16 Matt Marine						34 Dark Chocolate Meta				
19 Brilliant Purple		0				35 Skyblue				
21 Red Ruby		0				36 Cyan-Metallic				
22 Brilliant Red						37 Marsred (Orange)				
23 Matt Red						40 Kiwi				
24 Tutti Frutti Orange		0				41 Flamingo-Glitter				
						42 Matt-Anthracite	0			
						46 Mamba Green (new)				
	Style Pack	200 (0	oloure for C	arhotootura E	orke)					
AGN100502 ●	Black	age (C	olouis IOI Ca	arbotecture F	orko)					
AGN100502	Silver									
	Orange									
7.677766667	Orange									
(4)										
(1) only with unive	ersai cross spo	kea rear	wneers							
Comments fo	r special bu	ıild:								
Examples of ava	ailable build 4	me opti	ons							Contract of the Contract of th
- Abduction frame	e (2389)								h. iil+	7 mag
- One arm drive (2437)								Dulle	4me
- Headrest (2398))								10000	100
- SW 520 mm (23	365)									
- Drumbrake (238										
 Footplate flip ba 										
- Low front seat h	ieight (420 - 43	0 mm w	ith 3" castor							
2 -										
Argon ² - Ba	se Price									
Option price										
Packaging and	d transport									
Exclusive VAT										
VAT.										
Total Price										
Sunrise Medical									≥ Su	NRISE DICAL.
Address: UI. Wa		6 400, G	orsaw, Gor	zów Wikp. Po						
Tel. +48 95 737 2	25 14					cs.pl@sunrise-medice: www.sunrisemedic		6	www.Sun Sunrise Medical	riseMedical.eu
					websit	e. www.sumisemeal	aı.eu	<u></u>	Junios Medical	2020 Faye 0/0