





KRYPTON A

Valid until: 11.25

Deliver to:	
Name:	
Street:	
Town:	Postal code:
E-Mail:	
Tel:	Fax:

Order date: Purchase order: Number required:

□ Order □ Calculation □ Built 4 me (longer leadtime)

Art. no.: 77 100 001

Tel:

Deliver to: Name: Street:

Town: E-Mail:

Marked for:

Sunrise order no:

= Standard ./. = Price reduction □ = Cost option

Postal code:

Fax:

○ = No cost option

Max. user weight: 110 kg **USER WEIGHT** kg

Mandatory information to ensure correct configuration

Base Price

KRYPTON F: STANDARD CONFIGURATION

KRYPTON F

- · Folding wheelchair
- · Carbon fibre frame
- · Carbon fibre crossbrace
- · Adjustable backrest angle
- · Adjustable COG
- · Rear seat height adjustable





Krypton F

= Standard

O = No cost option

☐ = Cost option

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - in mm; measured from outside frame tube to outside frame tube

320	340	360	380	400	420	440	460
0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION - in mm

ı	340	360	380	400	420	440	460	480
	0	0	0	0	0	0	0	0

FRONT SEAT HEIGHT SELECTION - in dependance of front castors, forks and frame versions The high frame is 40 mm higher than the low frame.

Front seat height in mm

		Fork (length)	Frame:	430		450			480	490	500	510	520	530	540	550
		111 mm		0	0	0										
		123 mm	1			0	0	0								
		Frog Leg	low													
	3"	One Arm	Ī													
	3	111 mm						0	0	0						
		123 mm	high							0	0	0				
		Frog Leg	Iligii													
		One Arm														
Front Caster		111 mm			0	0	0	0								
		123 mm	low													
	4"	Frog Leg] low													
		One Arm														
tC		111 mm							0	0	0	0				
.on		123 mm	high													
Ē		Frog Leg	""g"													
		One Arm														
		111 mm					0	0	0							
		123 mm	low													
		Frog Leg]													
		One Arm														
	5"	111 mm									0	0	0			
		123 mm	high													
		Frog Leg	'''g''													
		One Arm														
	6"	123 mm	high													

REAR SEAT HEIGHT SELECTION - in dependance of rear wheel size

The rear seat height can only be between 0 cm and 110 mm below the selected front seat height.

Rear seat height in mm

Rear Wheels	370	380	390	400	410	420	430	440	450	460	470	480	490	500
24"	0	0	0	0	0	0	0	0	0	0	0	0	0(1)	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽¹⁾

(1): Only with lightweight COG adapter (KRF070701)

For more information
www.SunriseMedical.eu
© Sunrise Medical 2025

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 10 - 20 mm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee

(approx. 30 - 60 mm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground .

(min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's adility to sit upright has a major influence on the back height

and it can therefore differ considerably


Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the seat. Negative angles are <90°

and positive angles are >90°.

Low Seat Frame vs. High Seat Frame:

The high frame is 40 mm higher than the low frame. So you can choose shorter and lighter forks to minimize the weight of your wheelchair.



Technical Data Overview:

Max. overall height: 950 mm Max. overall width: 24" rear wheel 25" rear wheel Max. overall length: 930 mm For 0° camber: SW + 170 mm SW + 170 mm Max. turning circle: 700 mm For 2°camber: SW + 210 mm SW + 220 mm Max. safe slope: For 4° camber: SW + 260 mm SW + 270 mm

Wheelchair weight: from 8,3 kg
Dismantled weight: from 5,8 kg
Weight of heaviest part: 2,1 kg

All changes in the configuration might change the seat heights. Manufacturing tolerances are +/- 10 mm for all measurements.

© Sunrise Medical 2025

WEIGHT

We want to be very transparent on weight. The following information will be a guide to the lightest possible Krypton F: how to achieve a 8,3 kg folding-wheelchair, and how to order the lightest possible configuration for your Krypton F

Krypton F: 8,3 kg configuration (Transport weight: 5,8 kg)

Frame: high frame, 92°, 10mm inset, seat width: 360 mm, seat depth: 400mm. Seat height: front 470 mm, rear 420 mm.
Axle-stems cut-to-length (KRF010412), COG Adapter lightweight (KRF070701)

Wheel-lock: lightweight compact wheel-lock

Footrest: Footboard, platform, performance



Backrest: Carbon backrest, EXO superlight, without pushhandles

Sideguards: Carbon fibre, slimstyle

Rear wheels: 24" Proton wheels with Aluminium handrims (coated or anodized) and Schwalbe One tyres

Forks and casters: 111 mm carbotecture fork, 3" caster

Please mind that there is a 5% tolerance on all weight specifications due to weight deviations on mounting parts (tyres, caster-wheels etc.)

LIGHTWEIGHT-GUIDE FOR ORDERING THE KRYPTON F

Sunrise Medical offers a wide variety of options for the Krypton F to suit every user's needs. However, most options add significant weight to the wheelchair. To make this more transparent when filling in the order-form, and to assist you in ordering the lightest possible wheelchair, we indicate the approximate weight-increase of the options on the order form:

- (L) indicates the lightest possible option within the range of options
- (+) indicates that this option adds more than 500 g to the wheelchair's weight compared to the lightest option within the range

LIGHTWEIGHT OPTIONS FOR THE KRYPTON F

We developed several options for the Krypton F to save weight on the chair without sacrifing daily-use suitability, comfort or durability



Carbon fibre backrest: carbon backrest tubes. Fixed height. (-160 g compared to aluminium backrest)



Axle-stems cut-to-length (KRF010412): specifically cut to your seat-height. Upwards adjustment limited (only +1 cm) (-200 g for rear seat height 430 mm compared to full-length axle-stem)



EXO superlight (KRF030005): lightweight version of the EXO backrest upholstery. EVA-foam padding, adjustable straps, wider cut of the upholstery to cover backrest tubes (-160 g compared to Std. EXO backrestupholstery)



CoG Adapter, lightweight (KRF070701): (only 0° camber) (-260 g compared to CoG Adapter Standard)

Krypto	n F			
	•	= Standard O = No cost option □ = Cost option		Price in €
		SEAT UPHOLSTERIES AND CUSHIONS		
Seat sling				
KRF020002	•	Seat sling, nylon, tension adjustable, 1 utility bag		
KRF020003		and among the state of the stat	(from SW 340 mm)	
KRF020004		com conig, nyton, toneron anjacomine, a monty angle comments ang	(from SW 340 mm)	
KRF020000	0	Without seat sling		
Seat cushio	on, co	over with zipper, black		
Foam (medi	um-so	oft) Thickness: KRF020101 □ 30 mm KRF020102 □ 50 mm		
Seat access	sories	S		
KRF090018				
KRF020050				
JAY Cushio	ons - fo	for complete product range see Jay order forms		
JAY020002		· · · · · · · · · · · · · · · · · · ·		
JAY020003				
JAY020001				
JAY020004				
JAY020007		JAY Easy Fluid, Curved Base		
		DANISTOT		
		BACKREST		
KRF030001	Alu	uminium backrest 250 - 300 300 - 350 350 - 400 400 - 450 450 - 47	'5	
Choose back	k heig	ght factory setting (mm). O 250 O 300 O 350 O 400 O 450)	
Height adjus	stment	its of in total 50 mm possible. O 275 O 325 O 375 O 425 O 475	5	
		O 300 O 350 O 400 O 450		
KRF030007	Car	rbon fibre backrest (1) (L) □ 250 □ 275 □ 300 □ 325		
Fixed height	t, non l	height adjustable ☐ 350 ☐ 375 ☐ 400 ☐ 425		
KRF030012	-	Backrest, angle-adjustable	(75° to 103°)	
KRF030031				
		233,100,1,100,30,11,100,1100,1		
Pushhandle KRF030200		Omit nuch handles (1)		
KRF030200	0			
KRF030201			from book boight 225 mm)	
KRF030205			from back height 325 mm)	
KRF030204		(1)		
		(1)	y with aluminium backresty	
Backrest up		•		
KRF030316	0	3, 1 , , ,		
KDE00001		Colour, binding tape: ● Black O Orange O Silver O Red		
KRF030317				
		Colour, binding tape: Black O Orange O Silver O Rec	d O Blue	
KRF030005		, , , , , , , , , , , , , , , , , , , ,		
		Colour, binding tape: Black O Orange O Silver O Rec	d O Blue	
KRF030300	0	Without backrest upholstery		
Accessorie	s for b	backrest		
KRF030402		Stabilising bar, automatic folding (+) (only available from SW 380mm; not	with carbon fibre backrest)	

BACKREST

Folding-Matrix for KRF030031 Backrest, fold-down to the front.

Back height

Seat width



	32,5	35	37,5	40	42,5	45	47,5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38	х	✓	✓	✓	✓	✓	✓
40	х	х	✓	✓	✓	✓	✓
42	х	X	X	✓	✓	✓	✓
44	х	x	X	✓	✓	✓	✓
46	х	x	X	X	✓	✓	✓
48	х	х	X	X	х	✓	✓
50	х	х	X	X	x	X	✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles



=can't be folded full 90° to the front on folded chair



=can't be folded more than 45°



KRF030201 Push handles long



KRF030316 EXO backrest sling (EXO Evo



KRF030203 Push handles, fold-down



KRF030317 EXO PRO backrest sling (EXO Evo version)



KRF030204 Push handles , height-adjustable



KRF030005 EXO superlight backrest sling (EXO Evo version)

FOOTBOARDS



KRF050132 Footboard platform, lightweight, carbon



KRF050059 Footboard platform, performance



KRF050027 Footboard platform, lightweight, carbon fibre, auto folding



KRF050127 Adjustable side protection

Krypton F		
•	= Standard O = No cost option □ = Cost option	Price in €
	JAY 3 BACKS AND ACCESSORIES - only with Aluminium Backrest (+)	
	allow Contour (SC)	
Mid Thoracic:	□ JAY030010 Medium - 340 mm □ JAY030033 Tall - 380 mi	
Upper Thoracic:	□ JAY030012 Short - 420 mm □ JAY030019 Medium - 460 mm □ JAY030025 Tall - 500 mm	
Shoulder Height	□ JAY030015 Short - 530 mm □ JAY030022 Medium - 570 mm □ JAY030028 Tall - 610 mi	m
Jay 3 Back - Mi	Contour (MC)	
Mid Thoracic:	□ JAY030011 Medium - 340 mm □ JAY030018 Tall - 380 mi	
Upper Thoracic:	☐ JAY030013 Short - 420 mm ☐ JAY030020 Medium - 460 mm ☐ JAY030026 Tall - 500 mi	
Shoulder Height	□ JAY030016 Short - 530 mm □ JAY030023 Medium - 570 mm □ JAY030029 Tall - 610 mi	m
Jay 3 Carbon B	ack - Shallow Contour (SC)	
Lower Thoracic:	□ JAY060001 Short - 170 mm □ JAY060002 Tall - 240 mi	m
Mid Thoratic:	□ JAY060003 Short - 300 mm □ JAY060004 Tall - 380 mm	m
Accessories fo	JAY J3 backs	
WHT030415	☐ Whitmyer Headrest, COBRA XTRA, flip back (only with JAY J3 b	acks)
WHT030416	□ Whitmyer Headrest, AXYS, Standard (only with JAY J3 b	acks)
JAY090058	□ JAY Accessory bag (only with Jay 3 Carbon b	acks)
	ADMIDENTO AND OIDEOUADDO	
Armrosto	ARMRESTS AND SIDEGUARDS	
Armrests KRF040052	Single-post sideguard, armpad (330 mm), depth adjustable, height-adjustable, removable	(+)
KRF040117		
	Tabalal allimost, Mallimani, Owing array (Glacina) of, paddod, Tolliotable	5/(+/)
Sideguards	O'les and a second to the old and the lead to the old and the old	1
KRF040107		(1)
KRF040101		(L)
KRF040102	, , , , ,	
KRF040104	Sideguard, carbon fibre, fender, cold weather protection, black	
7.4.4.676767	olacyddia, carbon mol, foliaet, cela meaner protection, black	
	FOOTBOARDS	
KRF050059	Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways),calf strap (1)	(L)
KRF050131	Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black	
KRF050132	Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	
	Footboard, auto-folding	
KRF050027	Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black (1)	
KRF050028	Footboard, platform, lightweight, plastic, auto-folding, angle & depth-adjustable, calf strap, black (1)	
	Accessories for footboards	
KRF050127	Adjustable side protection, to create a side-stop on the footboard (2)	
	LOWER LEGISTRATION AND ADDRESS OF THE PROPERTY	
	LOWER LEG LENGTH (LLL) Attention: LLL has to be 30 mm less than seat height front; all m	easurements in mm
C	# 360 0 370 0 380 0 390 0 400 0 410 0 420 0 430	
	440 O 450 O 460 O 470 O 480 O 490 O 500	
	FRAME VERSIONS	
KRF010012 ●	Frame angle Frame FF 100 ° (integrated footrest) (UK 80 °) Inset slight (10 mm)	
KRF010012 C	Frame FF 92 ° (integrated footrest), performance (UK 88 °) Inset slight (10 mm)	
144 010013 L		
	Castor position (see explanation on next page)	
KRF010301	Castor house position wide	
KRF010302 C	Castor house position narrow (not with seat-depths< 400mm,please see recommendations on next page 2000mm, please see 2000m	age)
ĺ		
ĺ		
ĺ		
<i>(</i> 1):	Luist CW 200 mm	F
. ,	t with SW 320 mm ly for footboard, platform lightweight or Performance	For more information www.SunriseMedical.eu
	= lightest option (+)= adds 500g or more to the wheelchair-weight	© Sunrise Medical 2025

SIDEGUARD & ARMREST



KRF040101 Slim style sideguard



KRF040104 Carbon fibre, cold weather protection, fender



KRF040107 Sideguard, composite, removable (black)




KRF040117 Tubular armrest, swing away, removable, padded



KRF040052 Single-post sideguard, armpad (33 cm)


FRAME VERSIONS: CASTOR HOUSE POSITIONS





Further to the front and wider position of the casters for optimized rolling resistance and improved front-stability

Position narrow:



22 mm further rearwards and 24 mm per side more narrow position of the casters for a more narrow front-end and improved manoeuverability in tight spaces. Reduced front-stability compared to position wide, we recommend this option in combination with seat- height differences (front to rear) of 40mm or



KRF010301 Castor house position wide



KRF010302 Castor house position narrow



Castor house position wide vs. narrow

Krypton	F		
	•	= Standard O = No cost option \square = Cost option	Price in €
		CENTRE OF GRAVITY (COG) ADAPTER (4= very passive 13= very a	ctive)
KRF070703	Ada	oter, standard	
		0 2 0 3 0 4 0 5 0 6 0 7 0 8 0 9 0	10
KRF070701	۸۵۵	oter, lightweight (1) (L) O 5 O 6 O 7 O 9 O 10 O 11	
KKI U/U/U1	Aua	oner, lightweight (1)(L) 0 3 0 0 0 7 0 9 0 10 0 11	
KRF010411	•	Axle plate, aluminium, long (full adjustment), colour: black, matt	
KRF010412		Axle plate, aluminium, shorted (max. adjustment 1 cm), colour: black, matt (L)	
		EDAME AGGEOGRAPIES	-
KRF090010		FRAME ACCESSORIES (choose either tip assit or anti- tip tubes per Transit wheels (+)	side)
KRF090016		Transit wheels (+) Frame protection, black (textile, with v.	elcro)
KRF090577		Frame protection, Plastic, glued to the frame, black	
KRF090050		Anti-tip tubes, plug-in, pair (+)	
		Anti-tip tubes, swing-away	-
KRF090004		Left KRF090005 □ Right (+)	
KRF090006		Pair (+) (not in combination with tip a	ssist)
		Tip assist	,
KRF090001		Left KRF090002 □ Right	
KRF090003		Pair (+) (not in combination with an	nti-tip)
KRF090009		Crutch holder, loop (only in combination with tip a	ssist)
		FORKS (compare with your choice on the first p	nage)
KRF080013	0	Castor fork, Carbotecture ®, 111 mm Colour: Black (L)	Jugo/
		Colour:	
KRF080029	0	Castor fork, Aluminium, 123 mm Colour: Black	
		Colour: Silver Orange	
KRF080008		Castor fork, aluminium, one-arm Colour: Black (only with 4" & 5" Alu soft, Alu	solid)
KRF080007		Colour: Silver Orange Red Blue Castor fork, aluminium, suspension (Frog Legs ®), black (+)	
7447 000007		Castol Tork, aluminum, suspension (1 rog Legs 6), black (+)	
		CASTORS (compare with your choice on the first p	page)
KRF080301	0	Castor, solid (hard), rim: composite, black (not with one-arm	fork)
KRF080302	0	Castor, solid (soft), rim: composite, black (not with one-arm fork, only 5"	
KRF080303		Castor, solid (hard), light-up, rim: composite, black (not with one-arm fork, only 4"	
KRF080304 KRF080306		Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4" (only	
7417 000000	_	Colour, rim:	43)
		REAR WHEELS (compare with your choice on the first page; choose only one wheel	type)
KRF070000	0	Without rear wheel	0.4%
KRF070001 KRF070002	0	(**)	/ 24") / 24")
KRF070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (std: black rim/hub, colour options on last p	
KRF070004		Rear wheel, Proton, 24 spokes (black), straight spokes (L) (user weight limit 10	
KRF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	
KRF070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	
		Axie	
KRF070150	•	Quick-release axle	
KRF070151		Quick-release axle, designed for quads (3)	
		TYRES (choose only one tyre	tyne)
KRF070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (not in	
KRF070107		Tyre, pneumatic, slick, Schwalbe One (L)	
KRF070102	0	Tyre, puncture proof, tread (+)	
KRF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution (+)	
WD5000:	_		<u> </u>
KRF090163		Spares-kit: 1 extra tyre (same as on the chair) and 1 extra inner tube (not with solid	tyres)
(1):	Only	with 0° wheel camber	For more information
(2):	-	and blue only in combination with soft castors	www.SunriseMedical.eu
(3):	Not v	vith Spinergy wheels	© Sunrise Medical 2025
	(L)=	ightest option (+)= adds 500 g or more to the wheelchair-weight	

FRAME ACCESSORIES



KRF090001 Tip assist



KRF090004 Anti-tip tubes SA



KRF090010 Transit Wheels



Quickie style anti tip tubes pluggable



KRF090010 Frame protection,Plastic, glued to the frame, black



KRF070703 CoG Adapter, Standard



KRF070701 CoG Adapter, lightweight

FORKS



KRF080013 & KRF080306 Castor fork, Carbotecture & Castor solid (soft) aluminum



KRF080008 Castor fork, aluminum, one-arm, red

REAR WHEELS & HANDRIMS



KRF070001 Universal wheel



KRF070002 Design wheel



KRF070003 Lightweight wheel



KRF070004 Proton wheel



KRF070212 Handrims Ellipse 3R



KRF070208 Handrims Maxgrepp

TYRES



KRF070101 Schwalbe Right Run



KRF070107 Schwalbe One



KRF070104 Schwalbe Marathon Plus



KRF070102 Tyre, puncture proof

WHEEL LOCKS



KRF060001 Standard brake



KRF060002 Knee lever brake



KRF060023 Compact brake EVO




KRF060024 LIghtweight Compact brake EVO

© Sunrise Medical 2025

Krypton	F		
	•	= Standard O = No cost option \square = Cost option	Price in €
		HANDRIMS	
KRF070201	0	Handrims, aluminium, powder-coated, clear (L)	
KRF070202	0	Handrims, aluminium, anodised, silver (L)	
KRF070203		Handrims, aluminium, powder-coated, coloured (L) (select colour on last p.	age)
KRF070204	0	Handrims, stainless steel, silver (+)	
KRF070205		Handrims, titanium, untreated	
KRF070206		Handrims, titanium, powder-coated, clear	
KRF070207		Handrims, Supergrip ® (+)	
KRF070208		Handrims, Maxgrepp ® (+) (only	24")
KRF070212		Handrims, Ellipse 3R, black (+) (ergonomic handrims with rubber-strip)	
KRF070307		Hand rim mounting	4==()
		Handrim mount, super narrow (7 mm) (only with stainless s	teer)
KRF070317 KRF070327	0	Handrim mount, narrow (17 mm)	
KKI 070327	0	Handrim mount, wide (27 mm)	
		Handrim accessories	
KRF070250		Handrim cover, rubber (only 24", not	with)
	_	WHEEL CAMBER (choose only one op	tion)
KRF070600	0	0°	
KRF070602	0	2° (not with COG Adapter, lightwe	
KRF070604	0	4° (not with COG Adapter, lightwe	ight)
		SPOKE GUARDS (only available in 24") (+)	
KDE070004			<u> </u>
KRF070831		Transparent	
VDE070922			
KRF070823 KRF070816		0	
KRF070819		Happy Lions KRF070811 □ Feather Monkeys KRF070821 □ Pirates	
KRF070820		Oriental KRF070806 Chrome	
KRF070829		Superhero KRF070814 Graffiti	
KRF070817		Hot Wheels KRF070802 Basketball KRF070803 Basketball 2	
KRF070822		Pool KRF070812	
KRF070827		Silk KRF070828 □ Space	
KRF070830		Tiger KRF070833 Zebra	
		WHEEL LOCKS (chool	ose only one option)
KRF060001	•	Standard brake	
KRF060002		Knee-lever brake	
KRF060010		Brake lever extension, knee-lever brake, fold-down	
KRF060023		Compact brake EVO	
KRF060024		Lightweight compact brake EVO (1) (L)	
		(L)= lightest option (+)= adds 500g or more to the wheelchair-weight	
		ACCESSORIES	
KRF090000	•	Tool kit	
KRF090024		High pressure pump (0 - 11 bar)	
KRF090025		Air pump	
KRF090026		Mobile phone pocket	
KRF090030		Back pack	
		·	<u> </u>
(4).			
. ,		available with 4° camber; not with seat depth 34 cm; adjustment of CoG +/- approx. 2,5 cm in the field	For more information
	(<i>L)</i> =	lightest option (+)= adds 500g or more to the wheelchair-weight	www.SunriseMedical.eu © Sunrise Medical 2025

Krypton F		
Standard O = No cost op COLOURS FOR HANDRIM	•	
Handrim Hub/rin	S AND HUB/ RIM OF THE STANDARD WHEEL Handrim Hub/r	im
Tiananiii Tias/iiii	n nanami nasi	
02 Brilliant Silver	27 Graphitemetallic	
03 Silver Matt	29 Black	
06 Sun Yellow □ □	31 Matt Black □ □	
14 Blue □ □	32 Signal White	
15 Brilliant Marine □ □	33 Pink	
16 Matt Marine	34 Dark Chocolate Metallic	
19 Brilliant Purple	35 Skyblue	
21 Red Ruby 22 Brilliant Red	36 Cyan-Metallic	
23 Matt Red	37 Marsred (Orange)	
24 Tutti Frutti Orange	41 Flamingo-Glitter	
24 rutti rutti Orange = = = =	42 Matt-Anthracite	
	46 Mamba Green (new)	
(2) Handrim: only with handrim colour powder coated; Hub	/rim: only for universal wheel	
FRAME-COLOURS		
KRF100139 O Natural Carbon, no coating		
KRF100137		
KRF100138		
KRF100122		
KRF100123 □ Matte black		
	g Pixel" (scratch resistant, non-removeable)	
KRF100590	er	
KRF100591		
KRF100592 □ Frame graphics Flying Pixel, blue		
COLOUR STICKERS "SOF	PUR"/ "QUICKIE" and "Krypton" (3)	
	Sticker "Quickie" on sideguard will be silver in combination with carbon sideguards)	
KRF100551 O silver		
KRF100552 O orange		
KRF100553 O red		
KRF100554 O blue		
COLOURS FOR LIGHTWEI	GHT WHEELS 24"	
KRF100336 Rear wheel, lightweight anodized	d, orange (4)	
KRF100337	, , , , , , , , , , , , , , , , , , , ,	
KRF100338		
(3) no choice possible when frame graphics "Flying Pixel"		
(4) only with 24" Lightweight wheel, Hub and rim anodized,	black spokes	
Comments for special build - please apply for	or a quote; lead time conditions my change.	
	DU	ilt <mark>4</mark> me
Krypton F - Base Price		
Option price		€
Packaging and transport		€
Exclusive VAT		€
VAT.		€
Total Price Sunrise Medical Customer Service		€
Address: Kahlbachring 2-4, D-69254 Malsch/Heid		or more information s.SunriseMedical.eu
Tel. +497253 980-0	, .	unrise Medical 2025
Fax. +497253 980-222	Website: sunrisemedical.eu	

FRAME COLOURS



- Transparent, gloss Transparent, matt Black, gloss Black, matt

FRAME GRAPHIC "FLYING PIXELS"



From left to right:

- Frame graphics Flying Pixel, red Frame graphics Flying Pixel, silver Frame graphics Flying Pixel, blue

24 " LIGHT WEIGHT WHEEL COLOURS



KRF100336 Lightweight wheel, anodized orange



KRF100337 Lightweight wheel, anodized blue



KRF100338 Lightweight wheel, anodized red