



Pull Device



CE

ORDER FORM

Errors and imissions excepted

Billing Address Or Customer-ID			Shipping Addre	SS	Identical To Billing Address	
CID:			CID:			
Name:			Name:			
Street:			Street:			
Town/PC:			Town/PC:			
E-Mail:	E-Mail:			E-Mail:		
Phone:	Phone:			Phone:		
Order Informat	ion		User Weight			
Order Calculation Built-4-Me®		Max. user weight:	110 kg			
Purchase Order No.:			User Weight:	kg		
Art. No.: 47600001	Art. No.: 47600001 Reimbursement Code: xxx					
Order Date: Day	Month	Year	Base	Price	€X.XXX,-	

Technical Data Overview			
Max. user weight	110 kg	Max. speed forward	6 kph; optional 10 kph or 15 kph or 20 kph
Front frame width	$260-480 \text{ mm}^{(1)}$	Wheel size	8,5" air-chambered solid-tyre / 14" pneumatic tyre
Battery weight	2 kg	Battery type	Li-lon, 36V, 8.1 Ah
Total weight w/o battery	11 kg	Brake type	Twin-brake system: mechanical disc-brake and separate electric brake
Total weight with battery	13 kg	Operating Voltage	36 Volt
Colour	Black	Range of action	25 km max.
Colour accents (included in deliverv)	Black, red, blue, orange ⁽²⁾	Climbing power	up to 11% (6°)

Frame width measured from center frame tube to center frame tube at the mounting position.
 Use only the measured dimension and not the seat width to check compatibility.
 Black mounted as default.

F55

EMF070085 Drive wheel, 8,5°, solid tyre X EMF070085 Drive wheel, 14°, pneumatic tyre X Profering/Bundling EMF090213 With wheelchair order X EMF090217 With wheelchair order, not mounted to the wheelchair () X EMF090218 With wheelchair order, not mounted to the wheelchair () X EMF090218 With wheelchair order, not mounted to the wheelchair () X EMF090218 StV20 Kit incl. Attachment and TÜV approval (7) X Pocking EMF010027 Docking for fixed-front wheelchairs X EMF010030 Docking-clamps for oval tubes (Duickie Xenor ² FF, Helium) (s) X EMF010031 Docking-clamps for oucid a Xenor ³ A (s) X EMF010032 Docking-clamps for oucid tubes (Progeo Joker / Ego / Tekna) (s) (a) X EMF010041 Docking-clamps for oucid tubes (Progeo Joker / Ego / Tekna) (s) (a) X EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (s) (a) X KM000026 6 kph I I EMF00027 10 kph (s) I I EMF00028 6 kph I I EMF00027 10 kph (s) I I EMF00027 10 kph (s) I I		F35	
EMF01000 Pull-device F55 400 W fmx1 motor, 81.4h Li-ion battery, forward- and reverse gear, cuise-control, dual-brake-system (dise-brake, e-brake), mulguard, front-light and colour-kit included. EMF070085 Drive wheel, 8,5°, solid tyre Image: solid so			
Environada [dise-bracks]-models] muldguard, fromt-light and colour-kit included. EME070086 Drive wheel, 8,5°, solid tyre X EME070086 Drive wheel, 14°, pneumatic tyre X Prdering/Bundling X EME070087 With wheelchair order, normated to the wheelchair (1) X EME090172 With wheelchair order, mounted to the wheelchair (2) X EME090182 StV20 Kit incl. Attachment and TÜV approval (2) X EME090182 StV20 Kit incl. Attachment and TÜV approval (2) X EME010028 Docking for fixed-front wheelchairs X EME010029 Docking-for swing-away wheelchairs X EME010020 Docking-clamps for oval tubes (Duickie Xenon ² FF, Helium) (3) X EME010020 Docking-clamps for oval tubes (Duickie Xenon ² SA (3) X EME010030 Docking-clamps for oval tubes (Duickie Xenon ² SA (3) X EME010041 Docking-clamps for rowal tubes (Page J Tekna) [3] (1 X EME010052 Docking-clamps for rowal tubes (Frage J Tekna) [3] (1 X EME010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-senies, Champion) [3] (4	ase	Dull device FFE (00 W/max) meter 9.1 Ab Li ien betten, ferward, and reverse geer arvise central duel broke eveter	t
EMF070085 Drive wheel, 8,5°, solid tyre X EMF070086 Drive wheel, 14°, pneumatic tyre X Prdering/Bundling EMF080213 With wheelchair order X EMF080217 With wheelchair order, not mounted to the wheelchair (1) X EMF080218 With wheelchair order, not mounted to the wheelchair (2) X EMF080218 With wheelchair order, mounted to the wheelchair (2) X EMF080218 SV20 Kit incl. Attachment and TÜV approval (7) X Pocking EMF010027 Docking for fixed-front wheelchairs X EMF010027 Docking for fixed-front wheelchairs X EMF010030 Docking-clamps for oval tubes (Duickia Xenon² FF, Helium) (s) X EMF010031 Docking-clamps for oval tubes (Duickia Xenon² FF, Helium) (s) X EMF010032 Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (s) (4) X EMF010032 Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (s) (4) X EMF010032 Docking-clamps for hydroformed Kitschall tubes from 2019 (The KSL, K-series, Champion) (s) (4) X Mitpstability Sereed Serting Sereed Serting Sereed Serting EMF00027 10 kph (s) Sereed Serting Sereed Serting EMF00028 6 kph Sereed Serting Sereed Serting <td>EMF010000</td> <td></td> <td>-</td>	EMF010000		-
EMF070086 Drive wheel, 14°, pneumatic tyre X Profering/Bundling EMF090213 With wheelchair order, not mounted to the wheelchair (r) X EMF090218 With wheelchair order, not mounted to the wheelchair (r) X EMF090218 With wheelchair order, not mounted to the wheelchair (r) X EMF090218 With wheelchair order, not mounted to the wheelchair (r) X EMF090218 Stv20 Kit incl. Attachment and TÜV approval (r) X Pocking EMF010027 Docking for fixed-front wheelchairs X EMF010028 Docking-clamps for oval tubes (Quickie Xenon? FF, Helium) (r) X EMF010031 Docking-clamps for Ouclex Xenon? SA (rs) X EMF010042 Docking-clamps for rout tubes (Frageo Joker / Ego / Tekna) (r) (r) X EMF010022 Docking-clamps for rout tubes (Frageo Joker / Ego / Tekna) (r) (r) X EMF010023 Docking-clamps for rout tubes frageo Joker / Ego / Tekna) (r) (r) X EMF010020 Docking-clamps for rout tubes frageo Joker / Ego / Tekna) (r) (r) X EMF010021 Docking-clamps for rout tubes frageo Joker / Ego / Tekna) (r) (r) X EMF010029 Docking-clamps for rout tubes frageo Joker / Ego / Tekna) (r) (r) X EMF0100205 B kph EMF000027 I (r) (r) (r) EMF000027 I (r) (r)	rive wheels		
Prdering/Bundling Prdering/Bundling EMF090213 Without wheelchair order StMF090217 EMF090213 With wheelchair order, mounted to the wheelchair (1) X EMF0902182 StVZD Kit incl. Attachment and TUV approval (7) X Pocking	EMF070085	Drive wheel, 8,5", solid tyre	-
EMF090213 Without wheelchair order EMF090217 With wheelchair order, not mounted to the wheelchair (1) X EMF090218 With wheelchair order, mounted to the wheelchair (2) X EMF090182 StV20 Kit incl. Attachment and TÜV approval (7) X Oocking EMF010028 Docking for fixed-front wheelchairs X EMF010028 Docking for swing-away wheelchairs X EMF010030 Docking-clamps for oval tubes (Quickie Xenon* FF, Helium) (3) X EMF010031 Docking-clamps for oval tubes (Quickie Xenon* FF, Helium) (3) X EMF010031 Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (3) (4) X EMF010041 Docking-clamps for rowal tubes (Progeo Joker / Ego / Tekna) (3) (4) X EMF010052 Docking-clamps for rowal tubes (Progeo Joker / Ego / Tekna) (3) (4) X EMF010052 Docking-clamps for rowal tubes (Progeo Joker / Ego / Tekna) (3) (4) X EMF010052 Docking-clamps for rowal tubes (Progeo Joker / Ego / Tekna) (3) (4) X EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (3) (4) X EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (3) (4) X EMF000027 10 kph (a) X EMF000028<	EMF070086	Drive wheel, 14", pneumatic tyre	XXX
EMF090217 With wheelchair order, not mounted to the wheelchair (1) X EMF090218 With wheelchair order, mounted to the wheelchair (2) X EMF090182 StVZ0 Kit incl. Attachment and TÜV approval (7) X Ocking for fixed-front wheelchairs EMF010027 Docking for sixed-front wheelchairs X EMF010028 Docking-clamps for oval tubes (Quickie Xenon ² FF, Helium) (2) X EMF010030 Docking-clamps for oval tubes (Quickie Xenon ² FF, Helium) (2) X EMF010042 Docking-clamps for oval tubes (Quickie Xenon ² FF, Helium) (2) X EMF010042 Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (3) (4) X EMF010052 Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 25 mm, 28.6 mm & 30 mm tubes) (2) (4) X Kdjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (6). The F55 is fully adjustable to all seat heights and frame angles. X EMF000025 6 kph EMF000027 10 kph (6) X EMF000026 6 kph EMF000027 10 kph (6) X EMF000027 10 kph (8) X X EMF000028 15 kph (8) ELE front light X <td>rdering/Bu</td> <td>ndling</td> <td>ł</td>	rdering/Bu	ndling	ł
EMF090218 With wheelchair order, mounted to the wheelchair (2) X EMF090182 StVZO Kit incl. Attachment and TÜV approval (7) X Docking EMF010027 Docking for fixed-front wheelchairs X EMF010028 Docking-clamps for oxal ubes (Duickie Xenor² FF, Helium) (s) X EMF010030 Docking-clamps for Ouckie Xenor² SA (s) X EMF010041 Docking-clamps for Cuickie Xenor² SA (s) X EMF010029 Docking-clamps for i Vul tubes (Progeo Joker / Ego / Tekna) (s) (4) X EMF010029 Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 28.6 mm & 30 mm tubes) (s) (4) X EMF010029 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (s) (4) X Kdjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (s). The F55 is fully adjustable to all sea theights and frame angles. X EMF00027 D kph (s) EMF00028 S kph (s) EMF00028 D kph (s) X EMF00027 D kph (s) X EMF00027 D kph (s) X EMF00028 D kph (s) X EMF00029 D kph (s) X EMF00027 D kph (s) X EMF00027 D kph (s) X EMF00027 <t< td=""><td>EMF090213</td><td>Without wheelchair order</td><td>-</td></t<>	EMF090213	Without wheelchair order	-
EMF090162 StV20 Kit incl. Attachment and TÜV approval (r) X Pocking EMF010027 Docking for fixed-front wheelchairs Image: Structure Struc	EMF090217	With wheelchair order, not mounted to the wheelchair (1)	-
Docking EMF010027 Docking for fixed-front wheelchairs Image: Control of the contro	EMF090218	With wheelchair order, mounted to the wheelchair (2)	XXX
EMF010027 Docking for fixed-front wheelchairs Image: Clamps EMF010028 Docking for swing-away wheelchairs Image: Clamps EMF010030 Docking-clamps for oval tubes (Quickie Xenon² FF, Helium) (s) X EMF010031 Docking-clamps for Quickie Xenon² SA (s) X EMF010042 Docking-clamps for Ki Mobility Rogue (s) (4) X EMF010029 Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (s) (4) X EMF010020 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (s) (4) X EMF010025 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (s) (4) X Adjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (s). The F55 is fully adjustable to all seat heights and frame angles. X EMF000025 6 kph EMF000026 6 kph (s) EMF000027 10 kph (s) EMF000028 15 kph (s) EMF000028 15 kph (s) EMF000028 15 kph (s) EMF000028 15 kph (s) <	EMF090182	StVZO Kit incl. Attachment and TÜV approval (7)	XXX
EMF010022 Docking for swing-away wheelchairs Image: State S	ocking		
EMF010030 Docking-clamps for oval tubes (Quickie Xenon ² FF, Helium) (s) X EMF010030 Docking-clamps for Quickie Xenon ² SA (s) X EMF010042 Docking-clamps for Xi Mobility Rogue (3)(4) X EMF010041 Docking-clamps for val tubes (Progeo Joker / Ego / Tekna) (s)(4) X EMF010052 Docking-clamps for round tube frames (adaptable to 19.5 mm, 25 mm, 28.6 mm & 30 mm tubes) (s) (4) X EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (s) (4) X Kdjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (s). The F55 is fully adjustable to all seat heights and frame angles. X EMF000025 6 kph EMF000027 10 kph (s) X EMF000026 6 kph EMF000027 20 kph (s) X EMF000027 10 kph (s) X X EMF000027 20 kph (s) X X EMF000026 ED front	EMF010027	Docking for fixed-front wheelchairs	-
EMP010030 Docking-clamps for oval tubes (Quickie Xenon ² FF, Helium) (3) X EMP010031 Docking-clamps for Quickie Xenon ² SA (3) X EMP010042 Docking-clamps for Val tubes (Progeo Joker / Ego / Tekna) (3) (4) X EMP010029 Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 25 mm, 28.6 mm & 30 mm tubes) (3) (4) X EMP010052 Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 26.6 mm & 30 mm tubes) (3) (4) X EMP010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (3) (4) X Adjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (5). The F55 is fully adjustable to all seat heights and frame angles. X EMP00025 6 kph EMF00027 10 kph (6) EMF00028 15 kph (6) EMF00027 20 kph (6) Visplay Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Accessories ED front light Mudguard for front wheel	EMF010028	Docking for swing-away wheelchairs	-
EMF010031 Docking-clamps for Quickie Xenon ² SA (s) X EMF010042 Docking-clamps for Ki Mobility Rogue (s) (4) X EMF010041 Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (s) (4) X EMF010029 Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 25 mm, 28.6 mm & 30 mm tubes) (s) (4) X EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (s) (4) X Valjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (5). The F55 is fully adjustable to all seat heights and frame angles. X EMF000025 6 kph E X EMF000027 10 kph (6) X X EMF000028 15 kph (6) X X EMF000167 20 kph (6) X X Visplay Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption X Accessories LED front light Mudguard for front wheel X Colour-kit included: mudguard and sidebars in 4 colours F000074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X	ocking-Clamp	s	
EMF010042 Docking-clamps for Ki Mobility Rogue (3)(4) X EMF010041 Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (3)(4) X EMF010029 Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 28.6 mm & 30 mm tubes) (3) (4) X EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (3) (4) X Kdjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (5). The F55 is fully adjustable to all seat heights and frame angles. S EMF000025 6 kph EMF000027 10 kph (6) E EMF000027 10 kph (6) E S EMF000067 20 kph (6) S S Sipplay Battery status, Odometer, trip counter, avg. speed, real time power consumption S Kccessories LED front light Mudguard for front wheel S Colour-kit included: mudguard and sidebars in 4 colours Font- and Rear Iamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X	EMF010030	Docking-clamps for oval tubes (Quickie Xenon ² FF, Helium) (3)	XXX
EMF010041 Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (3) (4) X EMF010029 Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 25 mm, 28.6 mm & 30 mm tubes) (3) (4) X EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (3) (4) X Adjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (6). The F55 is fully adjustable to all seat heights and frame angles. S EMF000025 6 kph E EMF000027 10 kph (6) E EMF000167 20 kph (6) E Stipplay S S Visplay Bisplay: Battery status, Odometer, trip counter, avg. speed, real time power consumption S Kccessories LED front light Mudguard for front wheel S Colour-kit included: mudguard and sidebars in 4 colours Font- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X	EMF010031	Docking-clamps for Quickie Xenon ² SA (3)	XXX
EMF010029 Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 25 mm, 28.6 mm & 30 mm tubes) (3) (4) X EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (3) (4) X djustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (5). The F55 is fully adjustable to all seat heights and frame angles. X eEMF000025 6 kph EMF000027 10 kph (6) EMF000028 15 kph (6) EMF000167 20 kph (6) tisplay: Battery status, Odometer, trip counter, avg. speed, real time power consumption kED front light Mudguard for front wheel KED front light Mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X X	EMF010042	Docking-clamps for Ki Mobility Rogue (3) (4)	XXX
EMF010052 Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (a) (a) X Kdjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (b). The F55 is fully adjustable to all seat heights and frame angles. S EMF000025 6 kph 6 EMF000027 10 kph (b) 6 EMF000028 15 kph (b) 6 EMF000167 20 kph (b) 6 Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption 6 Kccessories LED front light Mudguard for front wheel Kudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours 6 EMF090074 Fornt- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X	EMF010041	Docking-clamps for oval tubes (Progeo Joker / Ego / Tekna) (3) (4)	XXX
Adjustability Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (s). The F55 is fully adjustable to all seat heights and frame angles. EMF000025 6 kph EMF000027 10 kph (s) EMF000028 15 kph (s) EMF000167 20 kph (6) Display Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Kccessories LED front light Mudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Font- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)	EMF010029	Docking-clamps for round tube frames (adaptable to 19.5 mm, 23 mm, 25 mm, 28.6 mm & 30 mm tubes) (3) (4)	XXX
Complete easy-adapt kit included to fit F55 to front frame widths from 260 – 480 mm (5). The F55 is fully adjustable to all seat heights and frame angles. EMF000025 6 kph EMF000027 10 kph (6) EMF000028 15 kph (6) EMF000167 20 kph (6) Display Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Accessories LED front light Mudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)	EMF010052	Docking-clamps for hydroformed Küschall tubes from 2019 (The KSL, K-series, Champion) (3) (4)	XXX
seat heights and frame angles. EMF000025 6 kph EMF000027 10 kph (6) EMF000028 15 kph (6) EMF000167 20 kph (6) Display Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Accessories LED front light Mudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)	djustability		:
EMF000025 6 kph EMF000027 10 kph (6) EMF000028 15 kph (6) EMF000167 20 kph (6) Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Occessories LED front light Mudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X			-
EMF000027 10 kph (6) I EMF000028 15 kph (6) I EMF000167 20 kph (6) I Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Cccessories LED front light Mudguard for front wheel I Colour-kit included: mudguard and sidebars in 4 colours I EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X	peed Settin	9	
EMF000028 15 kph (6) EMF000167 20 kph (6) Isplay Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Cccessories LED front light Mudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X	EMF000025	6 kph	-
EMF000167 20 kph (6) Display Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Accessories Image: Colour-kit included: mudguard and sidebars in 4 colours Mudguard for front wheel Image: Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)	EMF000027	10 kph (6)	-
Display Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Image: Color Constraints Accessories Image: Color Constraints Image: Color Constraints Mudguard for front wheel Image: Colour-kit included: mudguard and sidebars in 4 colours Image: Color Constraints EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X	EMF000028	15 kph (6)	-
Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption Accessories LED front light Mudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)	EMF000167	20 kph (6)	-
LED front light Image: Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)	isplay		
LED front light Mudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X		Display: Battery status, Odometer, trip counter, avg. speed, real time power consumption	-
Mudguard for front wheel Colour-kit included: mudguard and sidebars in 4 colours EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest) X	ccessories		
Colour-kit included: mudguard and sidebars in 4 coloursEMF090074Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)X		LED front light	_
Colour-kit included: mudguard and sidebars in 4 coloursEMF090074Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)X		Mudguard for front wheel	-
EMF090074 Front- and Rear lamp (Additional, clip-on, mounts to F55 handlebar and wheelchair-backrest)			-
	EMF090074		XXX
	EMF010032		XXX

EMF010033	Padding for sub-frame (enclosed)
EMF160010	Additional Li-Ion battery, Standard: 36V, 8.1 Ah, 291 Wh (approx. 25 km range)
EMF110155	Additional charger
EMF090181	Additional weight, removable without tools

and option, a particular configuration of a chair might not offer enough space. (4) Always check combination agreements for non-Sunrise wheelchairs.

(1) Wheelchair order on separate order form. Separate shipment of wheelchair and F55.
(2) Wheelchair-order on separate order form. Shipment of readily mounted wheelchair/F55-unit
(3) Always check installation space for the docking clamps before ordering. Depending on configuration
(5) Frame width measured from center frame tube to center frame tube at the mounting position. Use only the measured dimension and not the seat width to check compatibility.
(6) Check your local laws and regulations for max. permitted speed in your country. Speed-settings > 6 km/h can only be ordered via Fax with a signed waiver (next page). Max. speed-settings can only be altered by Sunrise Medical. (7) Germany only

_ XXX,-XXX,-XXX,-



// EMF070085 Drive wheel 8,5", solid tyre
(Pictured with EMF010027 docking for fixed-front
wheelchairs and red colour accents)



// EMF070086 Drive wheel 14", pneumatic tyre (Pictured with EMF010027 Docking for fixed-front wheelchairs and blue colour accents)



// EMF070085 Drive wheel 8.5", solid tyre (Pictured with EMF010028 Docking for swing-away wheelchairs with longer sub frame tubes and swannecked steering tube. Orange colour accents)

Docking-clamps



// EMF010029 Docking-clamps for round tubes frames (adaptable to 19.5 mm, 23 mm, 25 mm, 28.6 mm & 30 mm tubes)

Accessories



LED-light, Fender (accent colour red) and disc-brake (pictured on EMF070085 Drive wheel 8,5", solid tyre)



// EMF010032 Kickstand: mounted to the sub-frame



Colour-kit (mudguard) included in delivery



Colour-kit (sidebars) included in delivery (accent colour blue)

Letter of Acknowledgement

We herewith advise, that using the Empulse F55 with max. speed-settings higher than 6 kph is only permitted on public roads in certain countries and otherwise may only be used on private property.

In the absence of approval, in accordance with the road traffic laws, the Empulse F55 with speed-settings > 6 kph may not be driven on public roads, bicycle-lanes and pavements. You need to inform yourself about the country specific legislation regarding usage and your legal obligation to insure the Empulse F55 speed settings higher than 6 kph (10/15/20 kph). When you're travelling with your F55, always check the specific legislation in the respective country.

When placing an order for a max. speed-setting > 6 kph, please confirm with your signature below, that you have understood the above information and that you only intend the usage of your F55 on private property.

I herewith confirm, that I am aware of the information above, that I will follow strictly the country specific legislation.

Date			Customer Signature
Day	Month	Year	

Comments	

F55	€
Base Price	00,000.00
Total Of Additional Equipment	
Packaging And Transport	
Exclusive VAT	
VAT	
Total Price	

Date			Signature
Day	Month	Year	



Sunrise Medical GmbH

Kahlbachring 2-4 D-69254 Malsch/HD Phone: +49 (0) 72 53 / 9 80-0 Fax: +49 (0) 72 53 / 9 80-222 E-Mail: export@sunrisemedical.de www.SunriseMedical.eu