



# JAY CUSHION & BACK RANGE









# Superior Clinical Seating

Compromises in clinical use are not acceptable.

Effectiveness and easy of use are the top priorities.

For this reason, JAY develops products that address the challenges whilst maintaining clinical efficacy.

Every single aspect is thought through, down to the last detail. A portfolio offering solutions that span the continuum of clinical need.


The result is a technological masterpiece:

“JAY” combining stability, effective postural and pressure management, easy handling and comfort to the highest degree.



Comfort	Skin Protection	Skin Protection & Positioning
Basic	Union	Balance
Soft Combi P	Easy Fluid	J2 / J2 DC
Easy Visco	Xtreme Active	J3
Zip	Lite	GS
	Care	
	Ion	

## JAY Cushion range





# JAY Cushion and Back Range

## Comfort Range

<b>Basic</b>	Long life comfort	12
<b>Soft Combi P</b>	Long life stability	13
<b>Easy Visco</b>	High level comfort and stability	14
<b>Zip</b>	Designed to meet the pediatric client's unique needs	15

## Skin Protection Range

<b>Union</b>	Medium to high skin protection and stability	16
<b>Easy Fluid</b>	Skin integrity with stability	17
<b>Xtreme Active</b>	Skin protection for active users	18
<b>Lite</b>	Designed for the active client with mild to moderate skin integrity risk	19
<b>Care</b>	Elderly care and posture	20
<b>Ion</b>	Medium skin protection providing stability and comfort	21

## Skin Protection & Positioning

<b>Balance</b>	Perfect balance between skin protection and stability	22
<b>J2</b>	Stability and positioning with skin integrity protection	24
<b>J2 DC</b>	Stability and positioning with extreme skin integrity risk	25
<b>J3, J3 DC</b>	Complex options for complex needs	26
<b>GS</b>	Paediatric stability, positioning, skin protection and growth	29

## Backs

<b>J3 Back</b>	Clients requiring postural back support from mild postero-lateral stability to high levels of posterior and lateral support	32
<b>J3 Carbon Back</b>	A lightweight and stylish backrest for active users	39
<b>Easy Back</b>	Easy to prescribe, to order and to use	42
<b>Zip Back</b>	Designed for paediatric	44
<b>J3 TC Back</b>	A modular adjustable contour back, designed for children & young adults	46




# Clinical Performance Factors

The science and clinical application of mobility seating can be broken down into the following factors:


## Skin Integrity (Pressure Redirection)

How seating can redirect the client's weight to reduce peak pressures in critical zones and reduce the risk of skin breakdown.




Skin integrity is optimised by spreading the mass of the client

- over as wide a surface area as possible
- away from bony prominences to areas that can take load
- by reducing peak pressures in pressure sensitive areas




Solid materials; including foams, viscos and gels

- conform to the shape of the client to a varying degree dependant on the type of material (Fig 1 and 2)
- can provide some pressure reduction, BUT as solids there is always a material counterforce
- high compression creates counter-intuitive reactive pressure in the critical areas
- have limited ability to redistribute pressure from pressure sensitive areas



Liquids and gases (non-Newtonian)

- differ from solids as they displace, conforming completely to the form of the client without any counterforce working against the client (e.g. floating in a pool. (Fig 3)
- spread pressure evenly across entire body surface in contact (Fig 4)



Surface tension  
materials come in a container  
(cover, sac, foam surface)

All

Foams, gels, liquids, gases, can only displace and conform to the client's contours when the surface materials are equally flexible and compliant. Water tightly filled into a flexible rubber ball will only displace as far the rubber will flex.

To avoid surface materials restricting compression and displacement, it is essential that they are much larger than the compressing/displacing materials held within.

Bottoming out

All benefits of the best displacement/compression materials and the loose covers will be lost if the ischial tuberosities prominences actually pass through into the harder materials underneath!

Clinicians must either ensure the pressure redirection materials allow enough immersion to not hit the bottom or that the cushion structure is designed to suspend and immerse the ITs.



## Humidity and Heat Reduction

Certain clients are more at risk of skin breakdown than others. Excellent pressure redirection requires a uniform 'immersion' of the client's surface, and as a result humidity may be created.

The impact of humidity can be reduced but not avoided by 'wicking' cover materials, and careful attention needs to be paid to 'long term' clients sitting in warm, humid conditions.

- Foams and gels are heat insulators and do not dissipate heat well
- Foams and gels have low thermal mass (seem warmer and can hold heat)
- Liquids and gases conduct and dissipate heat to a certain degree
- JAY Fluid has medium thermal mass
- Air cushions have low thermal mass (seem colder and dissipate heat more effectively)

Rubber and neoprene covers prevent the dissipation of humidity. The key issue is cushion design and the materials surrounding the cushion:

- wicking covers help
- clothings critical; e.g. cotton is bad for moisture retention

Clothing and incontinence have a higher impact on humidity than the cushion's materials themselves.

Weight shifting is critical to heat dissipation as well as to pressure redistribution. Active users usually weight shift to dissipate heat as well as pressure. Passive users can not dissipate their heat by weight shifting.

Select the most suitable seating material based upon the skin assessment


- gases and liquids where the client is at moderate to higher risk
- foam, viscos and gels in lower to moderate risk cases for budgetary and weight benefits

Displacement of fluid/air under the bony prominences alone is not sufficient to preserve skin integrity. Cushion design must also provide stability and positioning of the pelvis and femurs. This minimizes the risk of "bottoming out."



## Shear Reduction

Shear and frictional forces are critical elements in client safety. Clients with a high risk of tissue breakdown may receive good or adequate pressure reduction yet can experience significant friction and shear forces when transferring or sliding forward due to poor positioning.



Foams, viscos and gels are compressible solids which do not displace (fig 1). This creates a "counteractive" response to the client's horizontal movements which may result in friction and shear in pressure sensitive tissues.

Gases and liquids displace (Fig 2) and offer a minimal lateral shear force, which is beneficial at critical points.


As in pressure redistribution, shear and friction can be partially mitigated but is also dependant on the surface tension of the materials. Tight covers and fluid sacs create surface tension of their own!

The perfect seating that offers very low shear would be easy to slide off and poor for stability and positioning if it was the only structure used within the cushion.

The key is to minimise shear in the critical client zones, whilst utilising less sensitive areas to receive the diverted pressure and provide the client with stability and postural support.

## Stability

A cushion can only function effectively if the client is 'stable' in the specified position for his/her activities and pressure can be effectively redistributed. The key is to stabilise the pelvis:



**Anterior/Posterior Stability:** by ensuring that the pelvic loading area (well) has adequate depth to allow immersion of the ischial tuberosities with the trochanters/femurs supported and the presence of the anterior shelf, the pelvis is stabilized in optimal AP alignment.

A solid back rest to provide posterior pelvic support is highly recommended to facilitate this alignment and minimize posterior pelvic tilt.

**Lateral Stability:** simple visco, gel, fluid or air cushions may provide initial pressure reduction, but will not function effectively if it cannot provide stability.

Whilst a 'well' (pelvic loading area) can be deep for the Ischial Tuberosities, the trochanters should be well supported to reduce lateral tilt resulting in pelvic obliquity. Not only does this improve client activity and posture, but it also reduces the likelihood of increased pressure on one Ischial creating the risk of bottoming out.

Cushions made for pressure reduction should also provide a firmer surrounding structure to stabilise the client when stability is a desired outcome.



# Clinical Performance Factors

## Positioning

Stability and positioning are very similar concepts. This may involve a combination of increasing or customizing contours of the cushion itself (contouring for pelvis, trochanters and thighs), the positioning of the wheelchair seating platform and the choice and application of the backrest system.

Positioning becomes critical where clients have postural deformity. These clients may require a custom configuration of fluid pads, additional stability supports and/or 'cut outs'.

positioning, and it is here that clinicians use their specialist skills with positioning cushions and modular accessories (e.g. JAY J3 or J2).

Positioning cushions have much firmer bases than 'comfort products' to ensure that they carve correctly and that additional positioning elements are held firmly in place. Approximately 30 % of all clients will need specialist


## Seating Tolerance

Comfort is subjective, but seating tolerance can be considered to be an objective measure. It is essential to assess this in relation to the time the client expects to spend in the chair. Short term users may only be interested in the initial comfort, but it is essential that longer term users assess cushion comfort over a period of several hours.

Clients need to balance their comfort perceptions with their stability, pressure redirection, physical and positioning requirements. Clearly a very soft cushion may provide excellent comfort, but will not provide stability and may be too high to provide suitable seat to floor height.


Positioning cushions may not be as 'comfortable' as a product that does not offer positioning. To maximize seating tolerance it is necessary to optimize pressure redistribution and shear reduction, maximize stability and positioning but also take into account comfort.

# Functional Seating Characteristics




## Size Range

We offer a lot of sizes, please see individual cushion for available sizes.



## Client Weight

A client with a weight higher than the maximum user weight stated on the cushion runs the risk of bottoming out. Pay attention to the larger sizes of a cushion range where a client could exceed specified limits.



## Seat to Floor Height

Seat to floor height of the client on the cushion in their chair is important to ensure the clients can assess their environment. Active users often request low seat to floor height and low cushion weight, but need to retain pressure reduction and stability. Specialist active cushions exist (e.g. JAY Easy Fluid). Cushions offering protection for high risk clients via deeper immersion e.g. the J2 Deep Contour or J3 Deep Contour also comes with optional drop seats to address seat to floor height.





## Cushion Weight

Relevant to active users for ease of vehicle transfers and for wheelchair propulsion.



## Cushion Longevity

- Cushions are supplied with a fixed period of guarantee, for example 12 months to 5 years.
- Cushions made from a moulded open cell foam are softer and more comfortable for the user but also provide increased durability than non moulded open cell foam cushions.



## Measuring the JAY Cushions

Measuring JAY cushions for the wheelchair is done in the following ways;

Fig A: Basic, Soft Combi P, J2, J2 DC, GS

Fig B: Easy Visco, Easy Fluid, Xtreme Active, JAY Lite, J3, J3 DC

Please note, the cushions' dimensions are measured with the cover.




Fig A




Fig B

# Basic

Long life comfort



## Product Features:

- Durable moulded foam contoured for mild lateral and posterior stability
- Bevelled base for use with seat sling
- Incontinence cover


## Clinical Application:

- Client requires comfort with minimal postural support
- Low risk of skin breakdown or shear, intact skin integrity
- Independent weight shifts
- Intermittent wheelchair user



Depth	Width											
mm	250	300	350	380	400	420	440	460	480	500	560	600
250												
300												
350												
400												
420												
440												
460												
500												
560												
600												

Height (in mm)		Maximum Height
Front	Rear	
48	47	63
Weight cushion 400 x 400 mm		0,7 kg
Max. user weight		125 kg
Guarantee		2 years



These sizes are available, please see your order form for modifications or special sizes.



## Soft Combi P


Comfort and Positioning

### Product Features:

- Premoulded incontinence resistant coated foam base
- Deeper leg trough and medial thigh and trochanteric support
- Easy-clean sealed foam with black incontinence cover
- Flat base
- Option of solid seat insert for sling seat use


### Clinical Application:

- Designed for clients with symmetrical posture needing minimum to moderate postural support
- Provides moderate lateral stability as well as moderate forward/rearward stability
- Low risk of skin breakdown
- Independent weight shifts



Depth	Width											
mm	250	300	350	380	400	420	440	460	480	500	560	600
250												
300												
350												
400												
420												
440												
460												
500												
560												
600												

Height (in mm)		Maximum Height
Front	Rear	
59	44	77
Weight cushion 400 x 400 mm		0.8 kg
Max. user weight		150 kg
Guarantee		5 years



These sizes are available, please see your order form for modifications or special sizes.

# Easy Visco

High level comfort and positioning with mild pressure redistribution


## Product Features:

- Lightweight precontoured foam with medial/lateral thigh support
- Visco elastic foam in the seat well to allow immersion of the ischial tuberosities and load distribution to the femurs
- Sacral and seat rail notches
- Curved or flat base for use with solid or sling seat
- Incontinence cover as standard with option for microclimatic cover
- Solid seat (as option)



## Clinical Application:

- Client with mild symmetric or asymmetric posture and moderate postural support requirements
- Provides moderate lateral stability as well as moderate forward/rearward stability
- Clients with low to moderate risk of skin breakdown and low shear risk
- Independent weight shifts



Depth	Width											
mm	250	300	350	380	400	420	440	460	480	500	560	600
250												
300												
350												
400												
420												
440												
460												
500												
560												
600												

Height (in mm)		Maximum Height
Front	Rear	
63	60	88

Weight cushion 400 x 400 mm	1,06 kg
Max. user weight	150 kg
Guarantee	2 years

Seat width

Seat depth

These sizes are available, please see your order form for modifications or special sizes.





## JAY Zip

A comfortable, clinically effective cushion designed uniquely for kids

COMFORT

### Product Features:

- Dual layered contoured foam base for mild positioning
- Soft and stretchable outer cover; 3DX™ fabric spacer underneath promotes air movement
- Outer cover available in pink, blue and black
- Stretchable water-resistant inner cover which is easy to wipe off


### Clinical Application:

- The Jay Zip cushion is designed through the use of anthropometric data so they are specially sized to meet a pediatric client's unique needs.
- Provides moderate lateral stability as well as moderate forward/rearward stability
- Paediatric with low to moderate risk of skin breakdown
- Independent weight shifts



Depth	Width										
mm	200	220	240	260	280	300	320	340	360	380	400
200											
220											
240											
260											
280											
300											
320											
340											
360											
380											
400											
420											
440											
460											

Height (in mm)		Maximum Height
Front	Rear	
50	45	60
Weight cushion 300 x 300 mm		0.9 kg
Max. user weight		75 kg
Guarantee		2 years



These sizes are available, please see your order form for modifications or special sizes.

# Union

Effectively combining fluid and foam for medium to high skin protection, stability and low maintenance - ideal for active or passive users

## Product Features:


- Lightweight, deeply contoured, multi-layered foam providing excellent stability for the pelvis and thighs
- Visco elastic top layer provides enhanced skin protection by increasing immersion and surface contact to spread pressure broadly
- New gel infused visco elastic top layer assists cooling by optimising air exchange and preventing heat retention
- Integral JAY fluid pad offers higher level skin protection by dynamically contouring around the pelvis and hips whilst being low maintenance - no kneading or fluid migration
- Two way stretch Dartex™ inner cover is water resistant and easy to clean. The Aquaguard™ zipper and anti-wicking thread ensure that the foam base stays dry.
- Microclimatic outer cover with 3DX™ spacer fabric vents heat and moisture to ensure skin stays cool and dry
- Available in 2 heights:  
Standard height (110 mm): ideal for powerchair, tilt in space or standard manual chair users  
Reduced height (90 mm): ideal for active users needing low seat height for transfers and optimal rear wheel access

## Clinical Application:

- Active or passive clients with moderate to high risk of skin breakdown and shear
- Clients needing a deeper profiled cushion for stability and comfort without increasing cushion height
- Symmetrical or mildly asymmetrical postures requiring minimal correctional support
- Clients able to perform a partial or independent weight shift



Depth	Width										
mm	360	380	400	420	440	480	500	520	540	560	600
360											
380											
400											
420											
440											
480											
500											
520											
540											
560											
600											

Max. Height (standard)	110 mm	
Weight cushion 400 x 440 mm	2.3 kg	
Max. user weight	136 kg (width 360 - 540 mm) 227 kg (width 560 - 600 mm)	
Guarantee	2 years	

These sizes are available, please see your order form for modifications or special sizes.

## Easy Fluid

Skin integrity with stability

### Product Features:

- Lightweight precontoured foam base with sacral and seat rail notches
- The built-in medial and lateral thigh support promotes optimal thigh positioning
- Choice of curved or flat base for use with solid or sling seat
- Choice of incontinence or microclimatic cover
- Solid seat (as option)


### Clinical Application:

- Client with symmetrical and mild asymmetrical posture and moderate postural support requirements
- Provides moderate lateral stability as well as moderate forward/rearward stability
- Moderate risk of skin breakdown and shear
- Independent weight shift



Depth	Width											
mm	250	300	350	380	400	420	440	460	480	500	560	600
250												
300												
350												
400												
420												
440												
460												
500												
560												
600												

Height (in mm)		Maximum Height
Front	Rear	
63	60	88
Weight cushion 400 x 400 mm		1,6 kg
Max. user weight		150 kg
Guarantee		2 years



These sizes are available, please see your order form for modifications or special sizes.



# Xtreme Active

Skin protection for active users

## Product Features:

- A lightweight and lowprofile cushion for an active performance and easy transfers
- The cushion offers two different fluid pad options: the standard fluid pad and the large fluid pad for advanced muscle atrophy
- The dual cover system promotes air flow and dissipates heat and moisture effectively
- Thighs positioning can be achieved through retrofittable leg support components.



## Clinical Application:

- Active client with moderate to high risk of skin breakdown and shear
- Moderate to high skin protection and client does not want to go to a heavier, high profile cushion
- Symmetrical or mildly asymmetrical posture requiring minimal support
- Client able to perform an independent weight shift



→ **Standard fluid pad**  
with standard base.



→ **Large fluid pad**  
in case of advanced muscle atrophy. It comes with a base with a larger pelvic load area.

Depth	Width								
mm	340	360	380	400	420	440	460	480	500
340									
360									
380									
400									
420									
440									
460									
480									
500									

Height (in mm)	Maximum Height
Front	
50	90
Weight cushion 400 x 400 mm	1,7 kg
Max. user weight	150 kg
Guarantee	2 years

Seat width

Seat depth

These sizes are available, please see your order form for modifications or special sizes.



## Lite

Specifically designed for the active client seeking minimal weight


SKIN PROTECTION

### Product Features:

- Firm, extremely lightweight, breathable, airflow layered foam base with ischial cut outs
- Excellent lateral and forward/rearward stability achieved via combination of Optiwell™ technology and firmness layering in base – “the pelvis fits the well”
- Optiwell™ technology, ischial cut-outs and scooped foam in pelvic loading area (PLA) effectively redistribute pressure away from the ‘at risk’ bony prominences
- Microclimatic cover with 3DX™ spacer fabric for heat and moisture dissipation


### Clinical Application:

- Symmetrical client requires comfort with minimal weight but mild/moderate postural support
- Mild to moderate lateral and foreward/rearward stability needs
- Moderate risk of skin breakdown
- Able to perform independent weight shifts
- Requires heat and moisture dissipation



Depth	Width									
mm	350	380	400	420	440	460	480	500	560	600
350										
380										
400										
420										
440										
460										
500										
560										
600										

Height (in mm)		Maximum Height
Front	Rear	
80	80	95
Weight cushion 400 x 400 mm		0,7 kg
Max. user weight		113 kg
Guarantee		2 years



These sizes are available, please see your order form for modifications or special sizes.

# Care

Designed specifically to address the needs of the elderly client

## Product Features:

- Contoured shape for symmetrical positioning and both forward/rearward and lateral stability
- "Fluid Tripad" incorporates three sections to ensure fluid remains under ischials with JAY Flow also protecting thighs and acting as incontinence resistant casing
- Longer seat well to accommodate sacral sitter
- Bevelled base for use with sling seat, impermeable and non-skid bottom
- Washable stretch cover
- One piece sealed system (except cover) so is easy to clean and re-apply to new clients


## Clinical Application:

- Sacral sitter with symmetrical posture requiring moderate postural support
- Moderate risk of skin breakdown
- Can perform an independent weight shift



Depth mm	Width		
	400	450	500
400			
450			
500			

Height (in mm)		Maximum Height
Front	Rear	
101	101	105
Weight cushion 410 x 430 mm		2,3 kg
Max. user weight		113 kg
Guarantee		2 years



These sizes are available, please see your order form for modifications or special sizes.



## Ion

Medium skin protection cushion  
providing stability and comfort with low maintenance

### Product Features:

- Lightweight, pre-contoured, multi-layered foam base provide excellent stability for the pelvis and thighs
- Visco elastic top layer provides enhanced skin protection by increasing immersion and surface contact to spread pressure broadly whilst also preventing excessive heat build up
- Two way stretch Dartex™ inner cover is water resistant and easy to clean. The Aquaguard™ zipper and anti-wicking thread ensure that the foam base stays dry
- Microclimatic outer cover with 3DX™ spacer fabric vents heat and moisture to ensure skin stays cool and dry



### Clinical Application:


- Client with symmetrical posture and moderate postural support requirements
- Provides moderate lateral stability as well as moderate forward/rearward stability
- Moderate risk of skin breakdown and shear
- Able to perform independent weight shifts
- Independent weight shift



Depth	Width										
mm	340	380	400	420	440	460	500	520	540	560	600
380											
400											
420											
440											
460											
500											
520											
540											
560											
600											
620											

Max. Height (standard)	100 mm
Weight cushion 440 x 460 mm	1.6 kg
Max. user weight	136 kg (width 340 - 540 mm) 227 kg (width 560 - 600 mm)
Guarantee	2 years

These sizes are available, please see your order form for modifications or special sizes.



# Balance

Skin protection & positioning cushions



Optimised for skin protection, stability and comfort

## Features:

- Features as the contoured thick soft foam layer that prevents IT and trochanter contacts
- The PLA shape with close rear wall to avoid fluidmigration
- Three different inserts available: Cryo° Fluid, Flow Fluid & air inserts
- The design of the fluid pad is low maintenance
- The dual-cover system offers a high degree of skin protection and comfort
- Three different covers available: microclimatic, incontinence and stretch



## Clinical Application:


- Cushion allows envelopment and immersion of the prominent bony areas of the pelvis, maximising pressure redistribution and maintaining skin integrity
- Maximum stability and positioning is achieved thanks to the PLA design based on anthropometric measurements
- The positioning elements can be fitted in the innercover which encourages orthopaedic alignment, increases sitting tolerance and accommodates changing user needs



The multi-layered, contoured foam base with seat rail relief cut

Depth	Width										
mm	340	360	380	400	420	440	460	480	500	560	600
340											
360											
380											
400											
420											
440											
460											
480											
500											
560											
600											
PLA	A			B				C			

Max. Height (standard)	85 mm
Weight cushion 400 x 460 mm	2,4 kg Flow Fluid insert 3,0 kg Cryo Fluid insert 1,9 kg air insert
Max. user weight	150 kg (width 340 - 500 mm) 225 kg (width 560 - 600 mm)
Guarantee	2 years



Note: Balance with Cryo Fluid only available from 400 mm cushion width. Please see your order form for modifications or special sizes.

The perfect balance between skin protection and stability

## Cryo® Fluid, JAY Flow Fluid or Air Inserts

The JAY Balance may be ordered with Cryo° Fluid, JAY Flow Fluid or air inserts, which conform to each individual's shape, adjust to sitting positions, and ensure proper fluid placement beneath bony prominences to help protect the skin from breakdown. Additionally, the Cryo° Fluid actively cools the user's seated skin surface for up to eight hours. For further information see Cryo° Fluid brochure.



## The field-adjustable positioning components

With the optional pelvic obliquity pads and positioning components the pelvic and thighs can be properly positioned for many clinical applications.

## Innovative, Dual-Cover System

Balance cushion features a dual-cover system.

The inner cover is water-resistant and easy to wipe off and clean, while its Aquaguard™ zipper and antiwicking thread ensure that the foam base stays dry.

The microclimatic outer cover dissipates heat and moisture for additional skin protection. Optionally the Balance is also available with an outer stretch or incontinent cover. All covers are machine washable at 60° C and quick to dry.





# J2

Stability and positioning with skin integrity protection



## Product Features:

- Firm base, anatomical well, femoral loading
- Carveable base for build-ups, cut outs and customisation
- Jay Fluid Tripad for ischial immersion and envelopment
- Wide range of postural support accessories
- 3DX™ Microclimatic cover with stretchable neo-prene™ sideband as standard, incontinence resistant cover and solid seat are options




## Clinical Application:

- Client with high risk of skin breakdown and shear
- Designed for the client with symmetrical posture to aggressive postural needs that change over time
- Clients unable to weight shift; limited postural stability and unable to reposition



Depth	Width					
mm	350	400	420	450	500	600
400						
420						
450						
500						

Height (in mm)		Maximum Height
Front	Rear	
80	80	90
Weight cushion 400 x 410 mm		2 kg
Max. user weight		150 kg
Guarantee		2 years



These sizes are available, please see your order form for modifications or special sizes.

## J2 Deep Contour

Stability and positioning with extreme skin risk


### Product Features:

- Firm base; anatomically correct well
- Carveable base for build-ups, cut outs and customisation
- Jay Deep Fluid Tripad with soft foam overlay
- Wide range of postural support accessories
- 3DX™ Microclimatic cover with stretchable neoprene™ sideband as standard, incontinence resistant cover and solid seat are options




### Clinical Application:

- Designed for the client with extreme long term risk of skin breakdown and symmetrical to aggressive postural needs
- Unable to weight shift or reposition



Depth	Width						
mm	350	380	400	420	450	500	550
350							
380							
400							
420							
450							
500							

Height (in mm)		Maximum Height
Front	Rear	
100	100	110
Weight cushion 410 x 410 mm		2,4 kg
Max. user weight		150 kg
Guarantee		2 years



These sizes are available, please see your order form for modifications or special sizes.

# J3 Standard and Deep Contour Cushion

Designed for the client with complex needs

## Product Features:

- Precontoured, carvable, closed cell foam base with Optiwell™ technology i.e. anthropometrically designed pelvic loading area (PLA)
- Two Depths Versions
- Optiwell™ Technology
- The Choice of Fluid or Air PLA inserts
- Microclimatic or incontinence cover options. Comfort layer is integral to cover
- Modification possibilities




## Clinical Application:

- Client at high (standard cushion) to extreme (deep contour cushion) risk of skin breakdown with or without aggressive postural needs
- Symmetrical to significant postural needs requiring laterally, forward/rearward stability and/or positioning
- May be unable to reposition or perform an independent weight shift



Depth	Width										
mm	300	350	380	400	420	440	460	480	500	560	600
300											
350											
380											
400											
420											
440											
460											
480											
500											
560											
600											

Max. Height (standard)	95 mm
Max. Height (Deep)	108 mm
Weight cushion 400 x 400 mm	1,9 kg
Max. user weight	150 kg (width 300 - 500 mm) 227 kg (width 560 - 600 mm)
Guarantee	2 years




These sizes are available, please see your order form for modifications or special sizes.






## The cushion offers two contour depths

Standard contour: High skin risk client



Deep contour: Highest level of skin risk – requires maximum immersion due to significant muscle atrophy



## The choice of Fluid or Air technology



Fluid Inserts:  
Factory Filled (FF) PLA  
insert; also as Field  
Variable (FV) available

The JAY Flow Fluid Technology is the optimal choice when ease of use and minimal maintenance is priority.




Air Inserts:  
Air Single Valve (AS) PLA  
insert; also as Air Dual Valve  
(AD) for asymmetric adjust-  
ments available

The air insert is the optimal choice when easy or ongoing adjustment is required or a lighter weight solution is desired.

## Different cover options

J3 offers two covers, the microclimatic and the incontinence cover.

Reticulated foam comfort layer within cover results in increased sitting tolerance. Comfort is critically important as discomfort can result in pain, fatigue, increased tone and equipment abandonment. The cover is oversized to reduce the surface tension and therefore allowing optimal immersion of the pelvis into the insert. Cleaning is easy and is machine-washable.



# Accessories

J2, J2 Deep Contour and J3 modifications

All cushions can be modified, and offer excellent positioning possibilities. We offer a variety of positioning components, from single accessories to complete kits, including:


- Lateral thigh supports
- Medial thigh supports
- Lateral pelvic supports
- Pelvic obliquity wedges
- Solid seat

J3 accessories



lateral pelvic supports

medial thigh support



lateral thigh supports



Cutting and/or carving the base will not damage the structural integrity of the closed cell foam base.

A one-time, free replacement base will be supplied if a mistake is made during carving the base



J2 and J2 DC accessories



## GS cushion

Designed for the paediatric client with moderate to aggressive asymmetric posture and high postural support requirements


SKIN PROTECTION  
& POSITIONING

### Product Features:

- Lightweight foam base with growth capability via well inserts and a wide range of postural support. Contracture cuts to accommodate tight hamstrings
- JAY Flow fluid pad
- For added skin protection there is a pressure relief pad with more fluid
- Incontinence resistant cover as standard (air exchange cover as option)


### Clinical Application:

- Designed for the client with symmetrical and asymmetrical posture to aggressive postural needs that change over time
- Clients unable to weight shift; limited postural stability and unable to reposition
- Designed to grow with the child



Depth	Width				
mm	250	310	360	410	460
330					
380					
430					
480					
510					

Height (in mm)		Maximum Height
Front	Rear	
80	75	90
Weight cushion 250 x 330 mm		0,6 kg
Max. user weight		113 kg
Guarantee		2 years



These sizes are available, please see your order form for modifications or special sizes.





## J3 Back Range

For moderate to high positioning needs, the JAY J3 backrest offers the widest range of sizes, shapes and options for clients that require a precisely fitted and individually tailored backrest.

The anthropometrically designed JAY J3 is available in widths from 310 mm to 510 mm, four back heights, four support shapes all offering a full selection of contours to meet client needs from active manual chair users, right through to passive powerchair users.

- Suitable for moderate to high positioning
- Ability to customise and tailor to the individual
- Provides a precise fit for client (size, shape, heights, adjustment range, options)
- Lightweight design (ideal for active manual chair users but also suitable for power wheelchair users)
- Easy fitting 2 or 4 point adjustable mounting hardware



# J3 Backs – Contours



## Four contour depths

The JAY J3 Back offers 4 types of contour depths:

Shallow Contour (SC) which provides 50 mm depth, Mid Contour (MC) with 80 mm depth, Deep Contour (DC) & Mid Deep Contour (MDC) with 150 mm depth.

The MDC & DC Back is also available in an Extra Deep version with 180 mm depth.

### Shallow Contour

Moderate lateral support

50 mm



### Mid Contour

Medium lateral support

80 mm



### Deep Contour

Full lateral support

150 mm



### Mid Deep Contour

Full lateral support

150 mm



### Deep Contour, Extra Deep

Full lateral support

180 mm



### Mid Deep Contour, Extra Deep

Full lateral support

180 mm






## J3 Backs – Level of support

### Four levels of support

The users can choose between 4 different levels of support depending on their functional needs and level of trunk stability.

Shoulder Height	(SH)	530 - 610 mm
Upper Thoracic Height	(UT)	420 - 500 mm
Mid Thoracic Height	(MT)	300 - 380 mm
Lower Thoracic Height	(LT)	170 - 240 mm



### Three individual heights

Two individuals may both require support at the same location on the spine; however, due to differences in height, they still require different height backs. This is why each support height is available in 3 different individual heights.



Short (S)



Medium (M)



Tall (T)

# J3 Backs – Range overview





## J3 Back range overview


These contour depths and back heights are available in the following combinations



Lower thoracic (LT)



Mid thoracic (MT)



\*only MDC

Laterals, headrest and harnesses available for SC, MC, DC, MDC


Upper thoracic (UT)



\*only MDC

Laterals, headrest and harnesses available for SC, MC, DC, MDC

Shoulder height (SH)



Widths available

310, 360, 410, 460 & 510 mm

310, 360, 410, 460 & 510 mm

360, 410, 460 & 510 mm

310, 360, 410, 460 & 510 mm


410 & 510 mm

# J3 Backs – Spine align system

## Very versatile spine align package

### Spine Align Kit

- Shaping components to optimise postural stability and provide correction / accommodation of mild to moderate postural deformity
- Loading area can be maximized for skin integrity preservation
- Create reliefs
- Comfort and sitting tolerance



Different kits available, 7, 12 or 36 pcs.





## J3 Backs – Hardware

### Ease of use – JAY mounting hardware

The JAY mounting hardware is easy to fit, easy to remove, compact in size and packed with adjustments in width, depth, height, depth and angle. You can even adjust the back with the client in the chair.

Compact Mounting Hardware – for active users, 25% lighter as the standard hardware



#### Hardware Mounting Location


Frequently, obstructions such as towel bars and armrest receivers force clinicians, dealers and technicians to make compromises. To maximize compatibility, the unique attachment of the J3 compact mounting hardware occupies as little space as possible and mount without affecting the user's fit.

Heavy Duty Compact Mounting Hardware – for passive users, focused on greater stability



#### Multi-Tubing Compatibility

The JAY mounting hardware features a clamp design that fits 19 mm D-Type tubes, 25 mm & 28 mm round tubes. With only one attaching clamp that is compatible with 90% of wheelchairs in the market and no need for additional hardware, the entire ordering and fitting process is simplified.



#### Angle Adjustment

The JAY mounting hardware was designed to minimise loss of seat depth. When the J3 back is reclined the lower back position remains constant, resulting in no loss of seat depth.



#### Width Adjustment

Many times backs fit the chair but not the user. To address this problem the backrest was designed with 50 mm of built-in width adjustment.

## J3 Backs – Headrests and Accessories

### Headrests and Accessories

The JAY J3 Back offers Whitmyer® headrests and a wide range of accessories to enable optimum user positioning in the backrest.



All J3 backs that can accommodate headrests have been tested and approved for transit against relevant ISO standards.

### WHITMYER®

#### Whitmyer® Headrests



Whitmyer® Cobra Cradle Pad



Whitmyer® AXYS with Plush Pad

#### Accessory bag



Stylish and durable accessory bag to safely store your essential items.

#### Lateral Supports\*

##### Fixed Lateral




Lateral support - fixed or Swing-away  
Available in 6 sizes - 100 x 100 mm, 100 x 120 mm, 100 x 150 mm, 150 x 100 mm, 150 x 120 mm and 150 x 150 mm


##### Swing-away Lateral



Improved positioning and lateral stability to help maintain proper posture with a lighter design.



An easy-to-use push-button lever allows the lateral to swing out of the way for easy transfers.



Chest straps and harnesses available in 4 sizes (S, M, L and XL)

\*The lateral is delivered standard with a 3DX™ Cover and Pad







# J3 Carbon Backs

Feel the difference

## IT'S SO LIGHT...

Carbon is lightweight and strong – therefore the ideal material for this backrest. Offering the same strength as aluminium (but 60 % lighter), the J3 Carbon back reduces the weight that a wheelchair user has to push, day-by-day.

## ... AND STYLISH

The J3 Carbon back will also impress with its unique and beautiful finish. An active and clean design combined with an elegant appearance – the stage is truly yours.



## J3 Carbon Back



### J3 Carbon - The support needed to be active

The J3 Carbon back provides great stability and comfort. Through the right pelvis support it offers firm stabilisation of the upper trunk and encourages an optimal spinal curve. This enhances the stability you need for a very active life, reduces back pain and provides a great comfort.

#### → Quick & easy to remove

With the optional quick release hardware the backrest is quick and easy to release – ideal for folding chairs.



### For all types of chairs

Whether a rigid or folding frame is used, the J3 Carbon is the proper back. The fixed or quick release version fit on all types of chairs.

### Two different mounting systems for folding and rigid chairs available

The J3 Carbon back is available with two different mounting systems. The fixed system offers rigid wheelchair users a mounting option that's extremely weight optimised. Alternatively, the quick-release system allows the backrest to be easily removed, ideal for mounting on a folding wheelchair. Regardless of choice, both mounting systems are designed as easy-to-handle, 2-point mounting systems and offer the same adjustments in angle, depth, height and width.


#### The quick release hardware

ideal for folding wheelchairs



#### The fixed mounting system

the minimum weight solution



# J3 Carbon Back

## Choose your back...!

Different needs demand adequate solutions. The four back heights (from 170 to 380 mm) focus on the active user with a need for low to moderate posterior trunk support. Mild lateral trunk support is also given by the 50 mm contour depth.

### → Different support levels

Always the right support  
(four heights from 170 to 380 mm)



### → Active contour

Mild lateral trunk support  
through 50 mm contour depth

## Where are the keys?

The user now has somewhere to store those easy to misplace items with the new accessory bag. Not only will it keep all of the valuables in one place, but it also smartly covers the gap between the back and cushion.

The usefully stylish  
accessory bag





# JAY Easy Back



With the JAY experience in seating and positioning, the JAY Easy backrest is designed to offer simple, comfortable and effective support.

## Versatile One-step Release Hardware

The hardware is easy to operate and to adjust for an optimal back support.

- Backrest can be released with only one hand. Unlock system on both sides with the cord then angle backrest and pull up to take it out of the fixation
- Hardware fits on all commonly used back tubes: 19 mm with insert, 22 – 23 mm with insert or 25 mm without insert
- Adjustable in height, width, depth and back angle with just one tool



## Innovative Cover Technology

JAY Easy Back comes with a microclimatic cover and a soft foam underneath for maximum comfort and user protection.

- 3DX™ spacer fabric vents both heat and moisture and increases air flow
- Cover is machine washable at 60° C and quick to dry
- Shape of the back can be easily adapted to the user through lumbar pads



# JAY Easy Back

## Choose your level of support

The JAY Easy Back system supports an upright posture and provides a stable and ergonomic seating position. The JAY Easy Back offers two different types of contours for an increased trunk stability depending on users needs.



Shallow Contour:  
Mild lateral trunk support



Posterior Deep Contour:  
High lateral trunk support

Different conditions and needs of the client demand adequate solutions. The three different heights focus on users with a need for moderate to full posterior support.



Mid Thoracic, 380 mm



Upper Thoracic, 460 mm



Shoulder Height, 530 mm

# JAY Zip Back

The JAY Zip backrest was designed through the use of anthropometric data so they are specially sized to meet a paediatric client's unique needs. It is an ultra lightweight backrest that features X-static™ and Aquaguard™ cover technologies as well as adjustable, quick release hardware to accommodate a wide range of mounting locations and user presentations.

## Versatile Quick Release Hardware

- Easy quick release hardware
- Fits on wide range of tubing: 19 to 29 mm
- Numerous height adjustment options

## Convenient & Antimicrobial

### Outer Cover

- Machine washable and quick to dry
- Extra layer of microclimatic spacer fabric for comfort
- Safe non-toxic material

### Inner Cover

- Easy to wipe off
- Aquaguard™ zipper resists moisture
- Anti-wicking seam thread protects foam base



Quick release

Backrest width:	200 / 250 / 300 / 350 mm	Back angle:	+20° to -20°
Backrest height:	150 / 200 / 250 / 300 mm	Width adjustability:	+25 mm
Transport weight:	1,1 kg	Depth adjustability:	70 mm
Max. user weight:	75 kg	Accessories:	Headrest, Lateral support, spine align positioning components, chest strap, vanity flap and spare cover







# JAY Fit Back

## JAY Fit Back – For a child's independence

The improved JAY Fit Back is a modular adjustable contour back, especially designed for children & young adult's needs. The back promotes the child's independence and comfort through upper body stability and proper positioning.

## Make it fit – more individuality and customisation

There are variety of options and accessories available on the JAY Fit that guarantees an optimal fit for the user.

- Lateral thoracic supports
- Lateral and posterior supports
- Spine alignment components
- JAY Positioning Supports
- Whitmyer® headrests



### JAY POSITIONING SUPPORTS

A selected range of harnesses and positioning belts are offered together with the new JAY Fit back to address any additional positioning need.



### Whitmyer® Headrest

Whitmyer® headrests provide support of the head and neck if you are using tilt-in-space wheelchairs or need additional support to hold your head upright.



### Lateral supports

Adjustable, internally mounted fixed or swing-away lateral thoracic supports.



### Spine alignment components

Spine alignment positioning components for optimal support and increased seating tolerance.

# JAY Fit Back

## Improved hardware – adjustable quick mount

The hardware is easy to operate and to adjust, to give the back an optimal support.

- The hardware is easy and fast to mount and adjust
- The hardware includes different collars to cope with several tube diameters and ensure compatibility
- Brackets come pre-mounted to the shell to facilitate mounting and reduce time
- Crash tested & Transit approved



Attachment brackets



Snaptite™ hardware



## Innovative cover technology

- JAY Fit Back comes with a microclimatic cover and a soft foam underneath for maximum comfort and user protection.
- 3DX™ spacer fabric vents both heat and moisture and increases air flow
- Machine washable at 60° C and quick to dry
- Proven and approved cover design being used for years in JAY J3 backs



Soft foam



3DX™ microclimatic cover





## Knowledge for the future



Our STEPS workshops provide greater knowledge, better product awareness, and more understanding for individual requirements to employees in medical and rehabilitation centres, as well as clinic and hospital personal.

For further information on the full specification, options and accessories, please check the order form on our website. All information is subject to change without notification. Please consult Sunrise Medical with any queries you may have. If you are visually impaired, this document can be viewed in PDF format at [www.SunriseMedical.eu](http://www.SunriseMedical.eu).



### Sunrise Medical GmbH

Kahlbachring 2-4  
69254 Malsch/HD  
Tel.: +49 (0) 72 53 / 9 80-0  
Fax: +49 (0) 72 53 / 9 80-222  
E-Mail: [international@sunrisemedical.de](mailto:international@sunrisemedical.de)  
[www.SunriseMedical.eu](http://www.SunriseMedical.eu)

